POOR LEGIBILITY

PORTIONS OF THIS DOCUMENT MAY BE UNREADABLE, DUE TO THE QUALITY OF THE ORIGINAL

1750



1927 LAKESIDE PARKWAY SUITE 614 TUCKER. GEORGIA 30084 404-938-7710

COMPLETE ENG.———

C-586-7-9-77

July 26, 1988

Mr. A. R. Hanke
Site Investigation and Support Branch
Waste Management Division
Environmental Protection Agency
345 Courtland Street, N. E.

Atlanta, Georgia 30365

Subject: Screening Site Inspection, Phase I Frey, John S. Porcelain, Inc. Conyers, Rockdale County, Georgia EPA ID No. GAD080092950 TDD No. F4-8905-49

Dear Mr. Hanke

Site Disposition:



Conyers, Rockdale County, Georgia. Phase I of this inspection included a study of state and EPA file material, a target survey and an offsite reconnaissance of the facility and surrounding area. FIT 4 was tasked to conduct a Screening Site Inspection of the John S. Frey Porcelain, Inc. facility in

Georgia EPD. offsite, county landfill when the facility closed in 1984 (Ref. 2). discharged at a rate of 1500-5000 gallons per day to the Conyers municipal sewer system (Ref. 10, p. various heavy metals (Ref. 10). After waste stream solids were floculated out, plant wastewater was Shortly thereafter, John S. Frey Porcelain, Inc. began enameling treated metal with porcelain. RCRA regulations (Ref. 3) EPA's ERRIS List of hazardous waste sites in Georgia indicates that the site is not regulated under produced by this process contained sulfuric acid, spent nickel sulfate, sodium nitrate or nitrite and process involved pre-treating the metal in an acid (pickling) bath to clean and etch the metal surface. acquired the present site property from Home Finance Company in February and September 1962 20 (Ref. 1). Records on file with the Rockdale County tax assessor's office indicate that John S. Frey The John S. Frey Porcelain facility was located at 1035 Iris Drive, S.E., immediately south of Interstate The metal was then plated with nickel prior to being enameled with porcelain. The wastewater sludge was stock piled at an unspecified location onsite and then landfilled in an The site property is now owned and operated by Madison Industries, Inc. (Ref. This closure was supervised by the

site flows southward for approximately 1300 feet before entering an unnamed perennial creek. This along Snapping Shoals Creek in Newton County (Ref. 1). There are no surface water (potable) intakes within 15 miles downstream of the site. Newton County and the city of Covington (in miles from the site. The surface water pathway continues in a southeastward direction and ends creek flows southward for approximately one-third of a mile before entering a small, unnamed pond (Ref. 1). Local residents fish in this pond (Ref. 5). The surface water pathway continues from this pond and enters a fresh water wetland greater than 5 acres in size along Almond Creek 2.9 stream The net annual rainfall for the general area of the site is 6 inches (Ref. 4). Surface runoff from the Mr. A. R. Hanke Environmental Protection Agency TDD No. F4-8905-49 July 26, 1989 - page two

Newton County) obtain their municipal water from the Alcovy River in a drainage basin separate from that of the site (Ref. 6). The city of Conyers water system obtains water from DeKalb and Gwinnett counties (Ref. 7). These counties obtain their water from the Chattahoochee River and Lake Lanier, respectively (Ref. 8). These water sources are outside (upgradient) of the surface water pathway (Ref. 1).

The John S. Frey Porcelain, Inc. facility is located in the Piedmont hydrogeologic regime, which is typified by a thick weathered mantle (consisting of soil and regolith) overlying fractured, crystalline igneous and metamorphic rocks (Ref. 9). Groundwater exists within the pore spaces of the soil/regolith and in the fractures and other secondary openings in the underlying bedrock. Together, the bedrock and overlying weathered mantle form a single aquifer system in the Piedmont. In low areas, groundwater may occur at the ground surface but is usually encountered several feet or tens of feet below ground surface (Ref. 9). The nearest potable well is approximately 4000 feet south of the facility. There are approximately 22 residences within 3 miles of the facility that either have no access to municipal water or are known to utilize private wells (Refs. 1, 5).

Because there are few targets, sensitive environments or food chain concerns within the study area, FIT 4 recommends that no further remedial action be planned at the former John S. Frey Porcelain, Inc. facility in Conyers, Georgia. If you have any questions regarding this matter, feel free to contact me.

Approved:

High. Rachell

Very truly yours,

Steve Walker

Project Manager

SW/dwf

Enclosures

c.c. Mario Villamarzo

REFERENCES

- 1. U.S. Geological Survey, 7.5 minute series Topographic Quadrangle Maps of Georgia: Conyers 1956 (Photorevised 1982), Porterdale 1964 (PR 1985), Kelleytown 1964 (PR 1982) and Milstead 1964 (PR 1985), scale 1:24,000.
- 2. John Coltharp, Production Superintendant, Madison Industries, telephone conversation with Steve Walker, NUS Corp. July 10, 1989. Subject: past waste handling practices of John S. Frey Porcelain Company.
- U.S. Environmental Protection Agency, ERRIS List of hazardous waste sites in Georgia. September 5, 1987.
- 4. U.S. Dept of Commerce, <u>Climatic Atlas of the United States</u>, (Washington, D.C.: GPO, June 1968) Reprint: 1983, National Oceanic and Atmospheric Administration, pp. 43, 63.
- 5. NUS Corporation Field Logbook No. F4-1353 for Frey, John S. Porcelain, Inc., TDD No. F4-8905-49. Documentation of facility reconnaissance, May 26, 1989.
- 6. NUS Corporation Field Logbook No. F4-1180 for Newton County Landfill, TDD No. F4-8812-10. Documentation of facility reconnaissance, January 4, 1989.
- 7. Helen Kidd, Conyers Water Dept. telephone conversation with Walter Riley, NUS Corporation, May 10, 1989. Subject: Water source for Conyers Water System.
- 8. NUS Corporation Field Logbook F4-1161 for Manchester Tank & Equipment Company, TDD No. F4-8811-51. Documentation of facility reconnaissance, December 15, 1988.
- 9. C.W. Cressler, C.J. Thurmond and W.G. Hester, "Ground Water in the Greater Atlanta Region," Georgia Geologic Survey Info. Circular 63, 1983, pp. 7, 9.
- 10. Lee Schreckengost, General Manager, John S. Frey Porcelain, Inc., "Porcelain Enameling, Baseline Monitoring Report," for Conyers facility, July 11, 1983, 12 p.

Reference No. 2

NUS CORPORATION AND

TELECON NOTE

CONTROL NO:	DATE:		TIME:	
	7	/10/89	1105 hrs.	
DISTRIBUTION:	<u> </u>		**************************************	
File - Frey,	John S.	Porcelain		
				
BETWEEN:		OF:	PHONE:	
John Coltharp-Production S	ouper.	Madison Industries	s (404) 483-4401	
AND: Steve Walker - NUS				
DISCUSSION:	·			_
I called Mr. Coltharp	to inqu	ire as to the disposit	tion of wastewater sludge	
generated by John S. Frey	Porcelai	n Company. Mr. Coltha	arp stated that prior to	
the facility closing in 19	84, the	sludge was taken to th	he "county landfill".	
He stated that the final "	clean up	" of the sludge basin	was supervised by Francis	
Hallahan of the Ga. Env. P	rotectio	n Division and that th	he sludge was deemed	
non-hazardous by the EPA.	The faci	lity is now owned and	operated by Madison	
Industries, Inc. and currer	ntly manu	factures pre-fabricate	ed shelters.	
· · · · · · · · · · · · · · · · · · ·				
		······································		_
	-			
	·			
ACTION ITEMS:				

35

REPORT DATE 87/09/05	REGIONAL	ERRIS SITE INVENTORY BY SITE NAME	NTORY							<u>)</u>	
EPA ID NO. SITE NAME	CITY NAME	CNTY NAME	SITE DISC DATE	EVE TYP COM	DATE COMP	TYP CDE EVE	SI DATE STRT	SI DATE COMP	H & S	L 0 Z	>7Z — —
ENTERPRISE ALUMING ESCAMBIA TREATING	EATONTON ATLANTA CAMILLA BRUNSWICK	PUTNAM FULTON WITCHELL GLYNN	85/09/18 80/08/01 80/08/01 80/08/01		85/09/18 85/09/17 85/09/17 85/09/17				<u>-</u>	•	Z
ES	ALBANY ATLANTA	PULTON FULTON	9/11/0	> >	9/12/0	IIS	85/08/26	85/09/10	02	•	:
ETHICON INC	CORNELIA	FUL TON	5/08/0	> >	4/08/0 5/04/1					0	Z
TYANG TRANSPORTATION CO	DORAVILLE	DEKAL B	1/06/0	>>	2/09/0				22		
EXCELLO CORP DAVIDSON	AMERICUS	7	0/08/0	> > 3	6/05/2					n U	
GAD000613232 EXIDE CO GAD079364766 EXIDE CO	ATLANTA	FULTON	0/08/0	> >	5/08/2					9	
FAIRVIEW IN	POWDER SPRINGS	COBB	9/11/0	>>	6/04/1				_	0	
FARM & INDUSTRIAL CHEMICALS	A	COLQUITT	0/07/0	>>	7/05/1 6/05/2				_	9	
FAUCONNIERE		STEPHENS	0/08/0	>>	5/09/1	IIS		11/60/98		0	Z
FICKLIN AND WALK	COLUMBUS	MUSCOGEE	0/11/0	> >	5/09/1	}				9	
FLEET TRANSPORT		MUSCOGER	0/08/0	· >)	6/05/2					n O1 (<u> </u>
FLINT RIVER ROAD	JONESBORO	CLAYTON	4/08/0	· > 1	4/12/0	118	84/12/01			•	-
FORD MOTOR CO ATLANTA AS	HAPEVILLE	FUCTON	1/06/0	>>>	2/10/0	ì			01		
GAD981003262 FORT VALLET OIL CO DROW COMP	WADLEY	JEFFERSON	4/01/0	· > :	4/08/0	SII	84/08/01	84/08/01	_	•	
FRANKLIN INDUSTRIES	LAVONIA	FRANKLIN	0/00/0	>> >	#/10/0				2	O	Z
FT. OGELTHORP	FT. OGLETHORPE	CATOOSA	9/11/0)	0/02/0		!		2	ļ	Z
GA POWER CO BOWEN	TAYLORSVILLE	BARTON	0/08/0	> > :	5/09/1					UI UI	
GA POWER CO CENTRAL	ATLANTA	FULTON	1/06/0	> > :	2/09/0				2	JA	z
GA POWER CO HAMMOND GA POWER CO HATCH ST	BAXLEY	APPLING	0/08/0	· 🗪 🕽	4/08/0						
GA POWER CO MCMANUS	BRUNSWHOK	GLYNN	0/08/0	• •	5/09/1					Ĵθ.	
GA POWER CO MITCHELL GA POWER CO SCHERER	JULIETTE	MONROE	80/08/01)	900					ere	
GA POWER CO. WANSLEY	1/4 MI FROM ST.	CLAYTON/HMN*	0/00/0)	1/60/6					эou	
GATL FOSTER PROPI	DITY	JEFFERSON	80/08/01		4/03/0					N e	
GENERAL AMERICAN	ROME	FLOYD	0/08/0	>>	2/09/0				2	• (
GAD991275504 GENERAL ELECTRIC CO	RDINSWICK	DEKALB	80/11/01	P P ≥	85/12/30 84/05/01					ε	
ELECTRIC	AUGUSTA	RICHMOND	0/88/0	>	5/09/1						

__RPT20 _EPORT DATE 87/09/05

U. S. ENVIRONMENTAL PROTECTION AGENCY REGIONAL ERRIS SITE INVENTORY STATE - GA

---- ----PA'S COMPLETED: 677 SITE INSPECTIONS STARTED: 104 SITE INSPECTIONS COMPLETED: 127 EPA FILE SITES = R: 158 STATE FILE SITES = T: 29 NOTIS SITES = N: 96 STS SITES = S: 68 HWDMS SITES = H: 348 COMPOSITE RECORD SITES = C: 0 OTHER FILE SITES = X: 1 NON-RCRA - BLANK OR 5: 17 RCRA PERMIT REQUIRED - 0,1,2,3,8: 92 WITHDREW FROM RCRA - 6,7,9,A: 215 RCRA STATUS NOT KNOWN - 4: 1 NATIONAL PRIORITY LIST = Y: NO FURTHER ACTION = N: 159 FURTHER ACTION PENDING = P: 0

TOTAL STATE SITES =

700

STATE TOTALS

LEGEND ERRIS REPORT #20

ERRIS: EMERGENCY & REMEDIAL RESPONSE INFORMATION SYSTEM; AN AUTOMATED EPA DATA MANAGEMENT SYSTEM TO SUPPORT THE SUPERFUND PROGRAM

EPA ID NO: EPA IDENTIFICATION NUMBER - THE DUNN & BRADSTREET UNIQUE IDENTIFICATION NUMBER (PREFIXED BY THE TWO-LETTER STATE ABBREVIATION) ASSIGNED TO THE SITE IDENTIFIED IN THE ERRIS RECORD. E.G. GAD123456789 IS A SITE LOCATED IN GEORGIA, TN0123456789 IS A FEDERAL FACILITY IN TENNSSEE

SITE NAME: THE PREFERRED NAME OF THE HAZARDOUS WASTE SITE OR RELEASE

CITY NAME: THE CITY, TOWN, VILLAGE, OR MUNICIPALITY NEAREST THE SITE LOCATION

CNTY NAME: THE NAME OF THE COUNTY IN WHICH THE SITE IS LOCATED

SITE DISC DATE: YEAR AND MONTH SITE WAS DISCOVERED AND/OR ENTERED INTO ERRIS

PA DATE COMP: YEAR, MONTH AND DAY PRELIMINARY ASSESSMENT (PA) WAS COMPLETED

SI DATE START: YEAR, MONTH AND DAY THE SITE INSPECTION WAS STARTED

SI DATE COMP: YEAR, MONTH AND DAY THE SITE INSPECTION WAS COMPLETED

NO SO CO: NOTIS SOURCE COUNT; A CODE WHICH INDICATES THE NUMBER OF CERCLA 103(C) NOTIFICATIONS FILED FOR THE SITE

R = SITE NAME AS KNOWN IN THE EPA FILES

T = SITE NAME AS KNOWN IN STATE FILES

N = CERCLA SECTION 103(C) NOTIFICATION

S = SITE TRACKING SYSTEM

H = HAZARDOUS WASTE DATA MANAGEMENT SYSTEM (HWDMS)

C = COMPOSITE RECORD

X = OTHER

RC ST IN: RCRA STATUS INDICATOR; A CODE WHICH INDICATES WHETHER THE SITE

HAS INTERIM RCRA STATUS OR NOT, AS FOLLOWS:

BLANK, 5 = NON-RCRA, NO INTERIM STATUS. FACILITY IS IN HWDMS

0,1,2,3,8 = RCRA PERMIT REQUIRED, HAS INTERIM STATUS

6,7,9,A = FACILITY WITHDREW FROM RCRA

4 = RCRA STATUS UNKNOWN

NA PR LI: INDICATES THE NATIONAL PRIORITY LIST (NPL) OF SUPERFUND SITES

Y = YES, THE SITE IS ON THE NPL

(BLANK) = NO, THE SITE IS NOT ON THE NPL

NO FU AC: NO FURTHER ACTION; A CODE INDICATING WHETHER FURTHER SITE ACTION IS REQUIRED BASED ON THE PRELIMINARY ASSESSMENT OR SITE INSPECTION N = THE PA OR SI CONCLUDED THAT NO FURTHER ACTION IS REQUIRED P = PENDING SITE, FURTHER ACTION, BUT NOT UNDER CERCLA (BLANK) = ACTIVE SITE, FURTHER ACTION, CERCLA WORK

"Rite in the Rain"	
WEATHERPROOF	11741

LEVEL

NOTEBOOK NO. 311

F4-1353	
TON# F4-8905-49	
	'ge
· · · /	
A-site Recon for PAR	
Frey, John S. Poceluis Conyers, Rockdole County, George Prey, Manager - Steve Walker off-site Recon for PAR	


A 14 .

LOGBOOK REQUIREMENTS REVISED - NOVEMBER 29, 1988

NOTE: ALL LANGUAGE SHOULD BE FACTUAL AND OBJECTIVE

- Record on front cover of the Logbook: TDD No., Site Name, Site Location, Project Manager
- All entries are made using ink, Draw a single line though errors. Initial and date corrections.
- Statement of Work Plan, Study Plan, and Safety Plan discussion and distribution to field team with team member signatures.
- Sign and date each page. Project Manager is to review and sign off on each logbook daily.
- Document all calibration and pre-operational checks of equipment. Provide serial numbers of equipment used onsite.
- Provide reference to Sampling Field Sheets for detailed sampling information.
- Describe sampling locations in detail and document all changes from project planning documents.
- Provide a site sketch with sample locations and photo locations.
- Maintain photo log by completing the stamped information at the end of the logbook.
- If no site representative is on hand to accept the receipt for samples an entry to that effect must be placed in the logbook.
- 12. Record I.D. numbers of COC and receipt for sample forms used. Also record numbers of destroyed documents.
- 13. Complete SMO information in the space provider

		l		(
		<u> </u>	1 .	x 611-	Ļ
			· · · · · · · · · · · · · · · · · · ·	5,26/8	f
0830	(a) Com	iecs Wa	How Men	1 Calinua	
<u></u>	11.	611	Dept.	Man / II	V
	public	Julety.	112411) I	me; with	1
	Brad R	rad fard	/		4
	L/		at siva	P. //	h 1
	May Ma	maps ti	nal Silva	x-Lity/L	DUMIL
	+	4++	4		<u></u>
		001	Land	Marc	
	- mer di	A MACK &	my fono	-W/S	†
	+ road !	y-roud.	¥/	· /	
	,	1			
	1				T
	 		<u> </u>	-	
0911 -	1055	Cardino	she is	1/2/1/20	Yen
 		1	e le l	.~	
	100 4.	Autoreth	parte is	Lange	45'
		1	1 1		
	1.1.11	+,, , ,	Supply an	λ	
	melt (4. tennexi.	13. Apin al	4.1.)	
	1 J.	du H	Lury	į	
/	/ 1	X 2	unty		
	Hr	122 - 15	יייל און ני	4	
	· [*	~!	1	I i	
		3650. Mi	4.138		
		\$ 6.50. Idu	44/38-	ļ	49
		\$ 6.50. M	lopany!	e 302	#9
	this u	Sisse Mu	opanville Zalnista	e 302	wher
	this u	Sisse Mu	opanville Zalnista	e 302	wher
	this w	Sugar Language Langua	opanvilles doilles	e 302 duff a	aner
	this washit	Kum de	opanville about a Flat Sh	e 302 dulli a dulli a dulli de fe	lat Arken
	this washit	Kum de	opanville about a Flat Sh	e 302 dulli a dulli a dulli de fe	lat Arken
	this was duesn't intersuit Roads	Know de	opanville doille	e 307 1 ull p 1 vals & f vis se	lacker the sife.
	this we doesn't intersu. Roads	Kum de Kum de Kum de	egth, I Flat Sh Sairm	e 302 duff e togs &f Jes SE	later sife.
Na.	this we doesn't intersu. Roads	Kum de Kum de Kum de	egth, I Flat Sh Sairm	e 302 duff e togs &f Jes SE	later site.
No	this we doesn't intersu. Roads	Kum de Kum de Kum de	egth, I Flat Sh Sairm	e 302 duff e togs &f Jes SE	later site.
No	this we doesn't intersu. Roads	Kum de Kum de Kum de	egth, I Flat Sh Sairm	e 302 duff e togs &f Jes SE	lacker the sife.



-/5/S	Confuc	ting a	ell are	dioxy							
	· · · · · · · · · · · · · · · · · · ·					i –					
7											
							····				
									† 		
						-				i ∳· ·	
						-				 	
										f 	
i i											
]								······································			
					f -						
					}						
1		!		1	ŀ			 			



LEVEL

NOTEBOOK NO. 311

FY-1180 Newton County Landfell
, , , , , , , , , , , , , , , , , , ,
Coungton Ninter County GA.
ganet Martin-Project Manager
F4-5812-10

8:30 am Arive	at Newton Cour	ty chamber		The intake	. (- + 1 ~	
of Com	mesce. 786-75 Floyd St.	10		RR crossing	the Alony	ever.
Locate	ngton (ity) / New Landfill site a	n Larkey Rd			neles to fair	
	rule south of the	e city findit		ms. Genell of country water most of their	system buy a	0
Superior	tendent of city	Water + Naste-		Arrive at N.	Authority	Jates
Oblain include # of con	Ling witer deal	information 1	6.76		18 3 PA 30209	
water	supply from Ale	ory lives	Marie Co	N		(<i>f</i>
2 1.14	-s garet Ma	stin .		1.4.50	Janet Martin	3.

or e

	•		
	neet with	Nebbie Custin of the	10:45 Newton County Landlill is
	water outh	nity 3	located = at the intersection
·		1 1 1	of Lackay Road and Hury 34
	Along unt	Conchaing water	The conditions and all of
		three subdistraions.	Lackey Rd was the blocked
	D D	7	with a steel beam we a closed
	1 1 1 .	n ≈ 47 monections	sign posted
	Buarpatch	1 1 1 1	The facility was thought by
	12		a local resident (b) (6)
.	* see Topo	+ or county map	(b) (6) To have closed in
	well mate	lines and subdivision;	1987.
	well Great		The landfill appeared to
	The found	ty system services	- have dequate soil and grass
	2 2734 com	nections.	coverage to track was
	The countr	unter system serves	visable.
	a united	nea. All other areas	Present to the south east corner
7	ditain wat	Les prom private wells	of the landfell was a burned
7		 [] 	mobile home unable to
			discover if on the property.
4	1-4-87	ganet Martin	1-4-89 Ganet Martin 5.

Reference No. 7

NUS CORPORATION AND	_	TELECON NOTE
CONTROL NO.	DATE: May 10, 1989	TIME: 10:30am
DISTRIBUTION:		
:		
BETWEEN: Mrs. Helen Kidd	OF: Conyers Water Department	PHONE: (404) 929-4253
AND: Walter Riley, NUS Corporat	tion	
DISCUSSION:		
served by the city systems. Some	The city obtains water from DeKalb and e people in the city do have private well also. Mrs. Kidd stated that they did not pproximately 145,000 meters.	is but are served by the city also. The
	•	
	····	
ACTION ITEMS:		

Rite in the Rain.
WEATHERPROOF

LEVEL

NOTEBOOK NO. 311

FY-1161
Marchester Tark + Equipment Co
F4-8811-51
Lithoria, Dekalb, Georgia
Geoffrey Carton
Recor

a product of

J. L. DARLING CORPORATION TACOMA, WASHINGTON 98421 U.S.A.

	•			· · · · · · · · · · · · · · · · · · ·		1		1 1		
			12/15/	æ				12	115188	
13:45	arrive at						tlowal,			
	water syst Filtration of With Ken	larit,	I an	neeting	He	with a	7-15 7-15	200	·	<u></u>
	The system	has c	one i	vater						
	river. The	system 1	ray b	eep						
	The Gusten	has	2 ti	e ins						
	with the G With the Atlanta: 1	e city	ork	 						
	the City	d also	Sup	plics						
	The Court	y System	ı. i4	guite						
	extensive of the horal was Give	res in	the C	ounty.						
1/2	Lean	e / our	to		1	gia	A (a .	alo)	·	1 ?

IN THE GREATER ATLANTA REGION, GEORGIA

By

C. W. Cressler, C. J. Thurmond, and W. G. Hester

Georgia Department of Matural Resources

Joe D. Tenner, Commissioner

Kavironmental Protection Division

J. Leonard Ledbetter, Egrectet

Georgia Geologie Survey

William E. McLemore, State Geologist

Propert in acoperation with the

.F.S. Geological Surveya,

Atlanta

1983

In table 7, which lists chemical analyses of well water, some wells retain numbers used in previous reports.

WATER-BEARING UNITS AND THEIR HYDROLOGIC PROPERTIES

The part of the GAR included in this study lies wholly within the Piedmont physiographic province (Clark and Zisa, 1976; Fenneman, 1938). The area is underlain by a complex of metamorphic and igneous rocks that have been divided by various workers into more than 50 named formations and unnamed mappable units. Individual rock units range in thickness from less than 10 ft to possibly more than 10,000 ft.

Regional stresses have warped the rocks into complex folds and refolded folds, and the sequence has been injected by igneous plutons and dikes and broken by faults. Erosion of these folded and faulted rocks produced the complex outcrop patterns that exist today. The large number of rock types in the area

and their varied outcrop patterns greatly complicate the occurrence and availability of ground water in the area. Nevertheless, many of the more than 50 named formations and unnamed mappable units in the GAR are made up of rocks that have similar physical properties and yield water of comparable quantity and chemical quality. Thus, for convenience, the rocks in the report area have been grouped into nine principal water-bearing units and assigned letter designations. The areal distribution of the waterbearing units and their lithologies are shown on plate 1. Data on wells in the water-bearing units are summarized in tables 1-3.

OCCURRENCE AND AVAILABILITY OF GROUND WATER

Ground water in the GAR occupies joints, fractures, and other secondary openings in bedrock and pore spaces in the overlying mantle of residual material. Water recharges the underground

		Y	Yield		Dapth		Casing depth		Topography (percent of walls in each setting					
Water- bearing unit	Number of wells		l/min)	(f	t) Average	((t) Average	Slope	Broad lowlands	Uplands- ridge crests	Draw, hollow	Stream or lake	Saddle	Other
								310						00.114
A Amphibolite- gneiss- schist	385	20- 275	56	35- 2,175	294	0- 200	60	22	35	22	•	11	2	
B Gramitic gneise	166 1	20- 348	72	40- 825	271	3- 266	54	33	45	2	14	6	0	0
Schist	105	20- 150	47	67- 700	195	4-	53	19	19	27	20	11	4	0
Biotite gneiss	70	20- 351	56	82- 710	270	7- 140	56	20	27	36	6	11	0	0
: Mafic	32	20 - 471	79	67- 386	191	8- 116	46	17	35	28	3	17	0	0
F Granite	43	20 - 150	43	43 <u>-</u> 422	192	11-	57	30	30	15	15	10	0	0
Cataclastic	55	20 - 225	74	110- 800	323	8- 207	84	4	75	15	4	2	0	0
i Quartzite	12	20 - 200	72	122- 500	297	30- 85	58	45	9	27	18	٥	0	J
Carbonate	5	31-	76	240- 505	376	28- 314	138		100	0	0	0	0	3

Table 1.-Summary of well data for the Greater Atlanta Region

openings by seeping through this material or by flowing directly into openings in exposed rock. This recharge is from precipitation that falls in the area.

Unweathered and unfractured bedrock in the report area has very low porosity and permeability. Thus, the quantity of water that a rock unit can store is determined by the capacity and distribution of joints, fractures, and other types of secondary openings. The quantity of stored water that can be withdrawn by wells depends largely on the extent to which the rock openings are interconnected.

The size, spacing, and interconnection of openings differ greatly from one type of rock to another and with depth below land surface. Open joints and fractures tend to become tighter and more widely spaced with increasing depth. Joints and other openings in soft rocks such as phyllite tend to be tight and poorly connected; wells in rocks of this character generally have small yields. other hand, openings in more brittle rocks such as quartzite and graywacke tend to be larger and are better connected; wells in these rocks normally supply greater yields. Other rocks, including amphibolite, schist, and gneiss, are variable in the size and connection of secondary openings and generally yield small to moderate quantities of water to wells. Carbonate rocks, which include marble, can contain much larger and more extensively interconnected fracture systems. Openings in carbonate rocks commonly are enlarged by solution, and are capable of transmitting large quantities of water.

Effects of Drainage Style

The GAR is divided nearly in half by the Chattahoochee River, which follows a comparatively straight southwesterly course for nearly 110 miles across the area (fig. 1). Streams in the north half of the area, including the Chattahoochee River and its tributaries, mainly have rectangular and trellis drainage styles. In contrast, streams in the south half of the area, beginning at about the south edge of the Chattahoochee River basin, have a dendritic drainage style (Staheli, 1976).

Streams having rectangular drainage style flow in strongly angular courses that follow the rectangular pattern of the joints that break up the rocks. Areas having trellis drainage style are characterized by strongly folded and dipping rocks; the larger streams follow the outcrops of less resistant rocks and tributaries enter at right angles across the dip of the strata (Lobeck, 1939, p. 175). All of the streams in the north half of the area show the influence of geologic control, their drainage styles reflecting the varied outcrop pattern, the different lithologies present, and the geologic structure.

In the south half of the area, the dendritic drainage style is indicative of streams that developed independently of the underlying geology (LaForge and others, 1925; Staheli, 1976). According to Staheli (1976, p. 451), dendritic drainage, in which streams run in all directions like the branches of a tree, probably was established on some preexisting surface and later superimposed on the underlying crystalline rocks. Such streams are said to be superimposed when they acquire a course on nearly flat-lying material that covered the rocks beneath. Streams flowing on the veneer of material that covers the bedrock are superimposed above the concealed rocks. When rejuvenated by uplift, they become incised and develop courses without regard to the structure or lithology of the underlying rocks. Eventually, the cover material may be entirely removed and then only the physiographic pattern of the streams will suggest their having been let down from a superimposed position (Lobeck, 1939, p. 173).

According to Staheli (1976, p. 451), to explain the different drainage styles in regions underlain by similar rocks and

JOHN S. FREY PORCEIAIN,

114

PORCELAIN ENAMELING

BASELINE MONITORING REPORT

of
John S. Frey Porcelain, Inc.
1035 South Access Road
(P.O. Box 365), Conyers, Ga. 30207
(404) 483-3170 Lee Schreckengost, General Mgr.

Division of

John S. Frey Enterprises Los Amgeles, California

Currently employing: 60 employees (total plant)

38 employees in porcelain facility

Operating: 1 eight hour shift per day, 5 days per

week. 0700 hrs--1530 hrs. M-F.

Holding the following permits:

- (1) Georgia State Department of Natural Resources Environmental Protection Division Permit # 3469-122-81130 8/11/81
 - (2) City of Conyers Waste water discharge permit number 201014
 1/1/81
 - (3) City of Conyers Business License
 Number: 3112
 1/12/83

Description of process:

John S. Frey Porcelain, Inc. is engaged in the porcelain enameling (applying & firing) purcelain enamel glass to treated metal parts of sanitary ware (tubs, sinks, lavs, etc.) light reflectors, and other prefabricated parts made from enameling iron; and also is engaged in the design, fabrication, and enameling of porcelain architectural panels. This primarily generates two categories of wastewater discharges from the following operations: 1. A required motal pretreatment operation, ie system, hereafter referred to as the "pickel system"

The pickel system is, as stated, a metal pretreatment preparation system which chemically cleans, acid etches (pickling)

and deposits nickel sulfate via a nickel dip (flashing) process of metal parts, fabricated from raw enameling iron/steel, preparing them for the application of the enamel (porcelain).

ζ,

Chemical cleaning is a washing operation to remove oil and dirt from the surface of the parts. The chemical cleaner is an alkali and soap solution, or detergent, the alkali saponifying the soluble oils and soap aiding in the emulsification of the oils and removal of the dirt. The cleaner used by John S. Frey is "Soak 028" which is composed of water, caustic soda, sodium tripolyphosphate, sodium metasilicate, soda ash, sodium lignosulfonate, and surfactants. Two solutions of cleaner are used in this operation; an approximately 4.5% and a 6% which are maintained at a temperature of 180°F to 200°F, and at a pH range of 12.0 to 12.5.

Rinsing is an essential part of the cleaning process. The parts come from the cleaner baths with a thin layer of cleaner on the surface which must be removed before parts can be placed in the acid pickel solution. To accomplish this two running overflowing rinse baths are used. The first is a hot rinse which is maintained at 180 to 200 F, and the second is a cold rinse in which the water is maintained at room (tap) temperature.

Acid pickling is the operation in which acid solutions are used to remove rust and scale from and etch or roughen the metal surfaces of the parts. The "pickel system" which is 5 to 20% sulphuric acid attacks the rust and the iron under the scale. The formation of hydrogen gas at surface loosens the scale, forcing it from the iron. The metal surface becomes slightly roughened or etched by the reaction of the acid on the iron or steel. To remove any coating of residuial acid parts are immersed in a cold flowing/overflow rinse.

The nickel dip follows the acid rinse after pickling and is itself followed by a rinse and nuetralizer. The nickel dip bath is a solution of nickel salt, NiSo4-6H₂O and sufficient acid to give a desired pH of 2 to 3. This solution is maintained at an operating temperature range of 160-195°F.

The neutralizing bath, which as mentioned follows a free flowing/overflowing nickel rinse, is designed to remove the last traces of acid from the metal. The alkali neutralizer used by

John S. Frey is a solution of 0.3 to 0.4 percent alkali (NaO₂) being composed of soda ash, borax, trisodium posphate and water which is maintained at 150 to 160° F.

3

The general configuration of this pickel system is a system which is composed of 9,3200 gal. (by volume) tanks, set in a 12° x 35' x 6' catch basin (tank). These tanks contain (in order) 1. cleaner @ + 4.5%, 2. Cleaner @ + 6.0%, 3. hot free flowing/overflowing rinse, 4. cold freeflowing/overflowing rinse, 5. sulfuric acid water solution 5%, 6. cold freeflowing/overflow rinse, 7. nickel sulfate solution, 8.cold freeflowing/overflow rinse, 9. neutralizer solution and 10. a drying area in which parts are suspended over gas flames with drainage flowing into the catch basin. (Refer to enclosed diagram.)

An overhead traveling crane moves and positions baskets which contain the parts which are to be treated in and out of each tark in the series for a predetermined length of time; then suspends the baskets over the flame in the drying area.

As previously stated, the entire system is constructed in catch basin which contains all the wastes, as wastewater, generated by this system. These wastes are the result of spillage, carryover water from the freeflowing rinses, part and basket drainage, and periodic scheduled "dumping" (discharge) of spent nickel sulfate and/or neutralizer solution. The average temperature range of the wastewater held in the catch is normally 65 to 80°F, but can range between 58° to 140° F. The normal pH range of this wastewater is 2.2 to 5.2; but if tanks are dumped this range could be between 1.8 to 10.5. There is no drainage from this catch basin, and the only way the contained wastewater can exit is by pumping. The wastewater is pumped from this catch basin into a smaller neutralization tank where the pH is brought to a range of 6 to 9(it generally ranges between 6.5 to 7.5) with 50% caustic soda. This action is strictly controlled with an electronic controller manufactured by Parker Chemical Engineering. This system will not allow any water to be pumped from the catch basin into the neutralization tank unless the water in the tank is at the specified range (6 to 9).

This system is operated Monday through Friday; 7a.m. to 3p.m. Water is generally pumped for 1 to 2 min (pump on), and neutralized for 2 to 5 min (pump off). Through out this time period generally discharging 2500 to 6500 gpd. Water flows by gravity from the neutralization pit where it is joined

with the wastewater discharge from the second waste producing operation; that of milling and coating of enamels (porcelain).

Ĺ

Milling room and process line wastewater is wastewater generated from cleaning operations, cooling water for the ball mills, and spillage (mostly in the mixing process) from the operations of ballmilling of "frits" and/or "slips" which are water based enamel slurries and there application by spraying or dipping onto the pretreated metal parts and subsequent clean-up operation. These wastes are generally between 40 to 75°F. at a pH range of 7.5 to 9.0 and have a high content of suspended and dissolved material. These wastes generally contain a mixture of clays, ground glasses, silica, oxides, sodium nitrate or nitrite, potassium carbonate and other various minor compounds. This wastewater is discharged Monday through Friday between 6 a.m. to 7p.m. with a small volume but steady flow with occasional higher volume slugs during clean-up periods. These flows range between 1500 to 5000 gpd, averaging between 2200 to 3500 gpd.

The combined process discharge is injected with the following treatment chemical:1, a slack hydrated lime 45% soln. slurry at a rate of 3 gals/hr.; 2. an ionic polymar; 5% soln. of Dearborn chemicals #420, at a 3 gal/hr. rate; 3. a 7% soln. of (30%) ferric chloride feed at a rate of 2 gals/hr.; and 4. a 10 % soln. catonic polymar, Dearborn #421, feed at a rate of 3 gals/hr.

This treated wastewater then flows into a series of two tanks which each tank divided into 3 sections. The first is a reaction/primary settling tank. As the treated water flows into the first reaction section of the first tank a naural buoyant, non-hazardous, inert, and land-applicable sludge rises to the surface, clumps together, and collects in this first section where it is removed daily. The resulant primarily clarified water flows over a surface wife into the first primary settling tank (2nd section) which has an approximate 2 or 4 hour detention time. The water then flows again over a surface wier into the third section (2nd primary settling basin) which again has a 2 to 4 hour detention time where it is immediately pumped to, and applied in a fountain fashion into the second tank which serves as a secondary settling clarification. All sections of both tanks contain surface/subsurface battles which prevent floating material from flowing from section to section.

In the second tank the first section is a settling tank with 3 to 5 hrs. detention time. Due to the fountain type of applicatin it is used as a aeration/oxidation tank and it is here also that HTH cholrine is added if needed for iron exide removal or clarity and pH is adjusted if necessary. Water in this section then flows over a surface wier into the second secondary settling tank which has a 2 to 4 hr. detention time. Then once more flows over a surface wier into a tird secondary settling tank, agian which has a 2 to 4 hr. detention tiem. Following this treatment the clarified water flows through a 90° V-Knotch wire into a holding flow equalization tank which has a 2 to 4 hr. detention time; before flowing into a stand pipe which discharges to the City of Conyers Sewage system.

1

PRODUCTION RATE:

Production rates vary greatly, depending on the product produced ie: panels, sanitary ware, etc. and whether or not they are single or double coated; however the following was recorded from Jan. 83 until June 83 and these rates are believed to be representative: Generally all production is porcelain enameling iron (steel) which is listed as S.I.C. code 3469:

	Average	Production Rate	Maximum Production Rate
Sq.	F±.	22000	24000
	Meters	2075.47	2230.5

WASTEWATER FLOWS

Wastewater discharge flows, also varying greatly depending on amount and type of production, and the number of different colors produced in one day.

	Process	Average Flow	Maximum Flow	Discharged to
Metal prepa	rtion	35 00 gpđ	ll000 gpd	Pretreated effluent to City sewer
Mill room		2400 gpd 🔑	4200 gpd	51
Process lin	e washdown	250 gpć.	350 gpđ	***
Boiler blow	down	150 gpd	1500 gpd	To metal prepartion catch basin

	Process	Average flow	Maximum flow	Discharged to
Sanitary	wastewater	500 gpd	1200 gpd	Separate direct dis- charge to sewer
Total di	scharge	6650	16750	
sphere	As steam vapo	2500 gpd orization	58 00 gpd	

NATURE AND CONCENTRATION OF POLLUTANTS

7

Process: Metal preparation(1)

Pollutant: As Ba Cd Crъb $N^{\frac{1}{2}}$ Zn Ph TSS Hg Se Ag Minimum 0.01 0.010 .002 3.5 0.02 0.00 4.01 .005 1.14 0.24 2.2 4.75 Conc.* Maximum Conc.* 0.02 19.0 .08 0.29 1.20 0.00 .026 .04 11.21 0.29 10.4 2625 Average Conc.* 0.016 4.28 .021 0.28 0.00 .041 .036 5.8 0.26 1550

٠,٠

BoD CoD Fe
Min.Conc. 420 600 1800
Max.Conc. 10 2800 1000
Avg. Conc. 226 1700 1400

Sample type: 10 hr. composite.

Number of samples: 7

* Conc.=mg/L

cocess: Hill Room (2)

ollutant;	As	Ba	Cd	Cr	Pb	Hg	Se	Ag	Ni	Zn	Ph	Tss	Bod
esi. Coac.	0.02	1.0	.01	.001	.020	0.001	.01	.04	.51	.08	8.2	687 5	/(2
in. Come.													
vg. Conc.	0.0129	3.25	.047	.02	.021	0.00	.007	.023	.21	.045		500.0	33

CoD _	Fe F
1.75	1000
150	3, 0
162.5	278

mple Type: 10 Hc Composite

subce of samples: 7

Process: Combined influent to pretreatment System (3)

- (a) Maximum Conc.
- (b) Minimum Conc.
- (c) Average Conc.

Pollurant:	As	Ва	Cd	Cr	Pb	Hg	Se	Λg	Ni	Zn	Ph	Tss	Bo d	Cod	Fe
												•			
A.s.	0,09	1.0.0	.26	.28	.19	.001	.001.5	.04	4.76	.26	6.6	.875	438	1.950	2200
Λ _α b.	0.02	ı	.006	.04	.03	.001	.001	.002	.52	<u>,</u> 24 .	3.6	.562	18	1900	1000
c.	0,05	4.85	.053	.14	٥07	.001	.0012	,021	1 2.71	.25		1718	228	1925	1600

So pla type: 3 Hr Composite

Musber of Samples: 4

Final Pretreated efflouent (discharge to City Sewer) (4)

² ស្សី <u>រ</u> ួយកងក្នុង	As	Ba	Cd	Cr	Pb	Hg	Se	Ag	Ni	Zn	Ph	Tss	Bod	Cod	Fe	
√ax.	.042	1.25	.08	1.2	.40	.0001	۰04	.04	638	.015	9.0	224.6	42	125	2.38	
fin.	,0001	.32	.001	.01	.051	.0001	。002	.001	.21	,001	5.9	12.2	21.6	25.0	,30	
`vg• ·	°02	.75	.09	.21	.072	.0001	.11.78	.03	3 147*	.003		43.4	29.8	55.8	1.0	

Schiple Type: 24 Hc Composite

hundrer of samples: 8

My rage is misleading because of one early sample taken when system was first installed of 6.38, excluding his combing a more normal average of 0.48 mg/L nickel in the final effluent is obtained.

CERTIFIED STATEMENT

6

Pretreatment standards are generally being met on a consistant basis. Addition operation and maintenance under consideration for compliance is as follows:

- 1. Continue research for more effective polymars
- 2. Add HTH when needed to final effluent for iron trioxide, iron/sulfur bacteria and algea control
- 3. Continue research for a fessiable method of breaking down & removal of surfactants and ferrius & ferric oxides which are continuing to present minor problems and occasional system upset.
- 4. Install sludge drying beds and a sludge/scum rake system in reaction tank for more effective sludge removal-thus enabling system to function more effectively.
- 5. If research proves necessary, install a DAF system in reaction tank.
- 6. Develope 0 & M manual and instructions for treatment system.
- 7. Keep O & M logs on daily operation of system.

At this time there are no additional forms of pretreatment to meet standards under consideration, however continuing research, monitoring and refinement will be conducted and if it is possible improve treatment and/or find solutions to the few problems (minor) that are now present.

MONITORING, ANALYSIS AND REPORTING

Presently grap samples of all system influents and system effluent are taken every 2 hours and analyzed for PH, TSS, Do., and conductivity; every 4 hours for C.O.D. These are recommed daily with flow, and weather data on a monthly water quality report form.

Randomly, but no less than 3 days/week, 24 hours composite samples are taken of combined influent and system effluent and analysed for TSS, COD, BOD, PO4, NAO, Phenol, Cn, Cr, Ni, pb, Zn, Fe, Si, and surfactanta. These tests are recorded under appropriate date on the monthly waste quality report form and individually on the environmental assement report form. Approximately every other month (to be random) 2 weeks (5 day sets) of consectutive daily 24 hr composite samples will be taken and handled in like manor as the weekly composite.

All sampling and analysis will be preformed in house with

one sample (composite) per quarter (or as needed) split with Law & Co. for quality centrol purposes. Also occasional random samples will be split with the city for similar reasons:

Copies of all environmental assement reports and the monthly water quality report will be forwarded to the City of Conyers and Ga. State E.P.D. municipal compliance section by the 15th of each month.

I certify under penalty of law that I have personally examined and am familiar with the information in this report and all attachments and that based on my inquiry of those persons immediately responsible for obtaining the information contained in this report. I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information including possibility of fine and/or imprisonment.

Lee Schreckengost

General Manager

404 483-3170

Name, Title, Telephone Number

Tamas M. IIaltan

رم د. کم NOTE: As of June 6, 1983 the cleaners in the metal preparation process were changed. The new cleaners used are Midland Chemicals No. 2158 and 4314. Make-up of these cleaners is as follows:

•

2158

Soda ash
Anhy sodium metasilicate
Caustic soda
Sodium tripolyphosphate
Tamol
Gafac RA-600
Triton-X-100
Sodium sulfate
Sodium glucnate
DDBSA

4314

Soda ash
Anhy sodium metasilicate
76% Caustic soda
Sodium tripolyphosphate
Tamol
Gafac RA-600
Triton-X-100
EDTA NAY
Sodium glucnate

RECONNAISSANCE CHECKLIST FOR HASE CONCERNS

Instructions:	Obtain as much	"up front"	information	as possible	prior to	conductin	g fieldwork.
Complete the	form in as much d	etail as you	can, providir	ng attachme	ints as ne	cessary. Ci	te the source
for all informa	stion obtained.						

Site name: Frey, John S. pore-fair City, County, State: Conyers/ Rock dale / Ceorgia EPA ID No.:

Person responsible for form: Steve Walker

Date: 7/8/84

Air Pathway

Describe any potential air emission sources onsite: None Known

Identify any sensitive environments within 4 miles: fresh we fer we tland 2.9 miles

Identify the maximally exposed individual (nearest residence or regularly occupied building . workers do count): Workers at the facility

Groundwater Pathway

Identify any areas of karst terrain: None

Identify additional population due to consideration of wells completed in overlying aquifers to the, AOC: None one against at Site, from O feet to 300 feet to below land surface

Do significant targets exist between 3 and 4 miles from the site? M_{\odot}

Is the AOC a sele source aquifer according to Safe Drinking Water Act? (i.e. is the site located in Dade, Broward, Volusia, Putnam, or Flager County, Florida)

Surface Water Pathway

Are there intakes located on the extended 15-mile migration pathway?

Are there recreational areas, sensitive environments, or human food chain targets (fisheries) along the extended pathway? Fresh water wetland 2.9 miles along pathway.

Onsite Exposure Pathway

Is there waste or contaminated soil onsite at 2 feet below land surface or higher? Only nearly

Is the site accessible to non-employees (workers do not count)? No - Sife is fenced

Are there residences, schools, or daycare centers onsite or in close proximity?

Are there barriers to travel (e.g., a river) within one mile? No natural harviers; haster, I-20 is adjacent to the north side of the site, occess to an across the interstate is restricted.



Site Inspection Report

3	EF	Ą	

POTENTIAL HAZARDOUS WASTE SITE

	I. IDENT	IFICATION
		32 SITE WAREN
1	6.19	6A.76811929 8

SEPA	PART 1 - SIT	SITE INSPE	CTION REP 10 INSPECT	ORT TON INFORMA		A 640186692956
H. SITE NAME AND LOCATION						
sign John S.	Porcelais	T.10.			DA S. E.	
CONVENS 30 COORDINATES			160	i	RockAsle	07004F7 28 02%2 2004 257
23° 32'15.0" 1	34° 20' 52.0'	O TYPE OF OWNER A PRIVAT F OTHER	t 2 t ftoer			UNTY I E MUNICIPAL
IN. INSPECTION INFORMATION OF REFECTION	02 STE STATUS	03 YEME & COM	ATION S	2 11 .		
07 /2 89 WONTH 247 - EMP 04 MORNEY PERFORMING MAPRIC!	ACTIVE S NACTIVE		CHOOKS YEAR	Elena vena	UNKN	0 wn
I A EPA Z-9 EPA CONTI	MACTOR		_ 2 0. MUM		MCPAL CONTRACTO	M
GE CHIEF NUFFECTOR		os mus			67 ORGANIZATION	OB TELEPHONE NO
Steve W	1/Ker-	Project 10	Ilanages-	<u> </u>	NUS Core	0. 144 938-7710
		J	.J			()
						()
						()
						()
						()
Mr. John Colth	7 1 12	productive Superinter	dest 100	10/406		16 PBLEPHONE NO
	7					()
						()
						()
						()
						()
	:					
C Person N. H. N. L.	on site inspection	14	STREETS.			
IV. INFORMATION AVAILABL 01 CONTACT		100				OS TELÉPHONE NO
Mr. John Colt	laro	100	ra I	udustries	, 	1454 1483 401
5+000 11/2/1		OR ASSET	of Grews	ATO	High 428'-77	00 BATE 57 1, 199 wearn 12 24 34

3	FPΔ
V	\Box

POTENTIAL HAZARDOUS WASTE SITE

	TIFICATION
31 STATE	6AD080091950
614	GAD080091950

	TATES, QUANTITIES, A						
	STATES Crock of the easily	02 WASTE QUAN		OS WASTE CHARACT	PRETICE (Character of the s		
A SOUD POWOR	I E SLURRY IR FINES I F LOUID E I 3 JAS	TONS		ZA TONIG Z 8 CORRO Z C RADIOA Z D PERMIST	EVE F NEGO	THOUS IN EUPLOS	ME ME
2 D OTHER		1	ASHE KAGUGE	_ 0 747650	TENT IN CONT	ABUS I NOOM	PLICABLE
	Sean	40 OF DAUMS		<u> </u>			
. WASTE T	YPE						
PROPETA	SUBSTANCE:	MME	01 GROSS AMOUNT	D2 UNIT OF MEABLINE	03 COLMENTS		
SLU	SLUDGE				Slugge canto	waity heavy	notals
orm .	OILY WASTE		<u> </u>		Jus pre	sent on 5.4	estone
sol	SOLVENTS		<u> </u>		time -	quantity ins	Linte H.
PSO	PESTICIOES						
∞cc	OTHER ORGANIC CI		<u> </u>				
юc	INORGANIC CHEMIC	ALS	<u> </u>				
400	4C/06						
848	BASES						
MES	HEAVY METALS		<u> </u>				
. HAZARO	DUE SUBSTANCES		n and CAS Resident				
CATEGORY	02 SUBSTANCE N		03 CAS HAMBER	04 STORAGE/DIST	COM HETHOD	06 CONCENTRATION	STATE OF THE PARTY OF
							
1							
							
$\overline{}$							
-							} -
						 	
			 			<u> </u>	
							
					·		
							 _
							
							
					·	<u> </u>	
			<u> </u>				
							1
PERDETO	(X.8 : San Appendix and Print)						
CATEGORY	01 70000700		DE CAS MARGET	CATEGORY	01 700000	DOX NAME	02 CAS NUMBER
FO6				FOR			
FOE	_			706			
FDS			 	FOS			<u>,</u>
700			 	700	<u></u> -		
			<u> </u>				
sources.	PA and State	and and the same of					
Ţ	-DA and State	o at Geo	19:00 - 1/6 1	11sterial			

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

SITE INSPECTION REPORT
PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

1. IDENTIFICATION
01 STATE 22 STE NAMES
6 A GANOSOO929

I. HAZARDOUS CONDITIONS AND INCIDENTS			
31 A GROUNDWATER CONTAMBATION 33 POPULATION POTENTIALLY AFFECTED:	02 C OBSERVED (DATE	_) 2 POTENTIAL	CADBLA C
31 I SURFACE WATER CONTAMINATION 33 POPULATION POTENTIALLY AFFECTED:	02 I DESERVED (DATE	_ I _ I POTENTIAL	I ALLEGED
DI II C CONTAMINATION OF AIR DIS POPULATION POTENTIALLY AFFECTED:	02 I OBSERVED DATE	_) 3 POTENTIAL	I ALEGED
DI I DI PREVERPLOSIVE CONDITIONS IS POPULATION POTENTIALLY APPECTED:	02 C ORRESTVED (DATE) C POTEVITAL	I ALEGED
TO E. DIRECT CONTACT IS POPULATION POTENTIALLY APPECTED:	02 C CERETVED (DATE:	_ I S POTENTIAL	I ALEGEO
1 O F CONTAMBIATION OF SOIL AREA POTENTIALLY APPECTED:	02 D CESSIVED (DATE: 04 NATIATIVE DESCRIPTION	_) C POTENTAL	C ALEGED
T C & OFFICING WATER CONTAININATION POPULATION POTENTIALLY APPECTURE	OR CI CONSTINED (GATE:	_) C POTENTAL	□ ALLEGED
1 C H. WORKER ESCENSELLINY 3 WORKERS POTEMIALLY APPECTED:	02 (1 CREENIED (DATE: 04 NAMATIVE DESCRIPTION) C POTEMAL	C ALLEGED
O L POPULATION EXPOSURE/SULUTY	OR C CREENIED (GATE:	_) C POTEMAL	C ALLEGED

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

L. IDENTIFICATION

OF STATE OF STE MARKER

GA GANG 80092956

IL HAZARDOUS CONDITIONS AND INCIDENTS CAME	Ned		
01 TJ DAMAGE TO FLORA 04 NARRATIVE DESCRIPTION	02 C OBBERVED (DATE:	J G POTENTIAL	I ALLEGED
21 T & DAMAGE TO FAUNA 24 NARRATIVE DESCRIPTION Include Names of Modelets	OZ I OBSERVED (DATE) I POTENTIAL	C ALLEGED
01 T. CONTAMINATION OF FOOD CHAIN 04 NARRATIVE DESCRIPTION	02 I OBSERVED (DATE:	_) I POTENTIAL	Cacaca
OI THE UNSTABLE CONTARMENT OF WASTES OS POPULATION POTENTIALLY AFFECTED: a Spill of 3,000 gallons amount entered the Conyers Municipal To OFFSITE PROPERTY OA NAMATINE DESCRIPTION	02 & COMMINED IDATE &/1/1/2 . OA MANUATIVE DESCRIPTION . of 8% Surrunic acid 2000	_1 = POTEMAL world at the sit	= MIECEO
insount entered the Conyers Munici	nel Sewir System.		
04 NAMEATIVE DESCRIPTION	os C comprise [mile	POTENTAL	TALEGED
21 ES CONTAMBUNTON OF SEWERS. STORM DRAME. 12 MARRATIVE DESCRIPTION a Spill of 300 windown to and entered the Conyers Marrount	ogallons of 8% sultivic ac	id occured at the	= ALEGED
DI I P ILLEGAL/UNAUTHORIZED DUMPNIS	or commonate: 3/1/78 20 gallons of 8% sulturic actionicipal sener system.		S. ALEGED
OI ES CONTAINMATION OF SEWERS. STORM OF LAND. TO OA MARRATIVE DESCRIPTION Q Spill of 300 of ANY OTHER INCOME, POTENTIAL OF CONTENTS.	OR C CRESTMED (DATE:		
DI S P ILLEGALUMAUTHORIZED DUMPING DA MARKATIVE DESCRIPTION	CR C COMMINED (DATE:		
NONE KNOWN	CR C COMMINED (DATE:		
01 T P ILLEGAL/UNAUTHORIZED DUMPING 04 NAMEATIVE DESCRIPTION 04 DESCRIPTION OF ANY OTHER INCHIS, POTENTIAL, O	CR C COMMINED (DATE:		
DI S P LLEGALUMAUTHORIZED DUMPNO DA NAMATIVE DESCRIPTION DE DESCRIPTION OF ANY OTHER ISLOWIL POTENTIAL OF NON E KNOWN L TOTAL POPULATION POTENTIALLY APPECTED.	CR C COMMINED (DATE:		
OF DESCRIPTION OF ANY OTHER ISLOWIL POTENTIAL OF ANY OTHER ISLOWIL POTENTIAL OF ANY OTHER ISLOWIL POTENTIAL OF ANY OTHER ISLOWILL POTENTIAL OF ANY OTHER ISLOWILL POTENTIAL OF ANY OTHER ISLOWILL POTENTIALLY APPECTED.	CR C CREENTED (DATE:		

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION

	NTIFICATION	
QI STA	CADESCO	
$\mathcal{L}\mathcal{B}$	EADOSOO	92950

1000	PART 4 - PERMIT	T AND DESCRI	PTIVE INFORMAT	TON	C. H. CADE 80092950
II. PERMIT INFORMATION					
OT THE OF PERMIT SSUED	DE PERMET MUMBER	OJ DATE MOUED	04 DOPPRATION DATE	OS COMMENTS	
Choice at the seath)		1	1	{	
TA NPOES		+	 		
I B UIC			 		
I C AIR			} -		
SE ACRA INTERIM STATUS		 	 		
IF SPCC PLAN		 	 		
I 3 STATE Seems		 	 		
TH LOCAL Seeson		1	 		
I OTHER Second					~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
ET AONE					
III. SITE DESCRIPTION					
01 STORAGE, DISPOSAL, Cheer of the empty	DE AMOUNT DE UNIT OF	MEABURE 04 T	PEATMENT (Chaus of this o		06 OTHER
C A. SURFACE IMPOUNDMENT		a	HCENSTATION		
C B. PLES			UNDERGROUND BLE		STE NO BONIGAUS A E
I C. DRUMB, ABOVE GROUND I D. TANK, ABOVE GROUND		1 7	CHEMICAL/PHYSICA	L	
E. TANK, BELOW GROUND		1 7	. BIOLOGICAL . WASTE OIL PROCESI		OF AMEA OF SITE
S F LANGFUL		1	SOLVENT RECOVER		/ +
I G. LANGFARM			OTHER RECYCLINES	RECOVERY	
C I. OTHER		a ×	OTHER		
O7 COMMENTS	***********	<u>}</u>			
					;
IV. CONTAINMENT					
O1 CONTABORDIT OF WASTER ADMIN COM		_			
A ADBOUATE SECURE	C & MCCONATE	C C. PM080	UATE, POOR	C D. MINICU	RE, UNISCUND, DANGEROUS
os osservitan et etunis, enemi, unista	MARIENA, 670.				
Y. ACCESSIBILITY		, , , , , , , , , , , , , , , , , , , 			
01 WARTE EARLY ACCORDING TO YE	nd fenced duri	by Mean.			
VL SOURCES OF INFORMATION on	dony appears of any ger state	CANALA ANDRES			
off-site reconn file material	assance of sife	eara, E	PH file ma	terial, st	late at Emplo

PART S - WATER, DEMOGRAPHIC, AND ENVIRONMENTAL DATA II. DRINKING WATER SUPPLY 31 TO PRODUCE WELL ENGANGERED APPECTED MONETONED COMMUNETY A B B A B C B C B A B A B A B A B A B A	448	ENTIFICATION			SITE			AL HAZA				
III. DRINKING WATER SUPPLY 31 THE OF ORNING SUPPLY 32 STATUS COMMUNETY A D S A C B C C D A STATUS COMMUNETY A D S A C B C C D A STATUS COMMUNETY A D S A C B C C D A STATUS COMMUNETY COMMUN	20929	4 6AD080	64	DATA	IMENTA					PART	•	
SURFACE WELL BROADSHED AFFECTED MONTONED COMMUNETY A D B 3 A 3 B 3 C D A 15 III. GROUNOWATER 12 ACHIEVE SURFACE FOR DRINKING = 8 CHORACH COMMINISTRAL BE INVESTIGATED AND COMMINISTRAL PROBATION = 0 MOTUBED COMMINISTRAL BE INVESTIGATED BY OROLAND WATER BY 2 POPULATION SERVED BY OROLAND WATER BY 2 POPULATION SERVED BY OROLAND WATER BY A CHIPTO TO GROUNOWATER OR DRINKING OF DRINKING WATER WELL 4 CHIPTO TO GROUNOWATER OR DRINKING OF DRINKING WATER WELL 4 CHIPTO TO GROUNOWATER OR DRINKING OF DRINKING WATER WELL 4 CHIPTO TO GROUNOWATER OR DRINKING WATER FLOW 1 5 IND 1 5 IND 1 5 IND 2 POPULATION OF MELLS WHICH WATER OR DRINKING WATER WELL 4 CHIPTO TO GROUNOWATER OF DRINKING WATER WELL 5 IND COMMINISTRAL WATER COMINISTRAL WATER COMMINISTRAL WATER COMMINIST											SUPPLY	KING WATER
SUMPLACE WATER SUPPLES OF THE PROPERTY SPONSATION SCONDARDAD A PROCESS MONTONED A STATE OF STREET WATER SUPPLES OF STREET SUPPLES OF	T	-	03					02 STATUS			PLY	OF OFFICE SUFF
COMMUNITY C = 0 P 0 2 E.2 F.2 E. 4320. IN GROUNDWATER TO A ONLY SOUNCE FOR ORDINARY SECURITY CHARACTER AND ATTOM COMMUNITY USE OF COMMUNICATION SERVED BY CROCKED WATER OF COMMUNITY TO GROUNDWATER OF COMMUNICATION OF COMMUNI				RED	MONT	PECTED	ED A	ENCANGES	WELL	i	SURFACE	-
III. GROUNDWATER OF SOUND ATTER OF SOUND SERVED BY GROUND WATER DE COMMERCIAL MOUSTRAL DE MOUSTRAL MOUSTRAL MOUSTRAL DE MOUSTRAL MOUSTR		<u> </u>	A	7 1	C. (8. □		_			. •	_
TO COMMERCIAL MODIFICAL MO	al 7	<u> 4000</u> ~	■.			1. 2		0.3	0 2		<u> </u>	
COMMERCIAL POLICE FOR CAMPING = 0 HOT LIBED. 2 POPULATION SERVED BY CAROLAD WATER BY 3 COMMERCIAL POLICE TO RELATEST CHARLEST C											VICENTY COM	
A COMMONATER OF COMMONATER ALOW	LIBABRIP	D NOT UBED, UM	10M I	ML MICATO	IL HOUST	COMMERCIA		TAL MARCATI	MATRICAL HOUST	= 0 g		
approx. 22 private (potable) wells are believed to exist; within of the Site comments vectoring car or for fractived 2000 comments aprifer may disolated (crystalline) rook aprifer on water to streams locally substance water accomment of the streams locally substance water accomment of the streams locally substance water source of the streams locally substance water source of the streams locally of the substance of the streams locally of the substance of the streams locally of the substance of	,·mi)		WELL	NG WATER W	1687 0704	MCE TO MEAN	03 DIST		34	TER	Y OROUND WA	ATION SERVED BY
ASSESSMENTALLY APPECED SOCIAL DESCRIPTION South O MO CONNECTED SOCIAL PROPERTY BROKENTS DESCRIPTION OF MELES APPECED CONNECTED SOCIAL OF CONNECTED SOCIAL MODERNAL OF MELES CHO (Crystalline) pork aprilar- CARBERROR RECREATION OF BROKENTS SOCIAL MODERNAL OD NOT CLARE DATECTED FOR THAT PROPERTY BROKENTS APPECED DESTANCE TO CONNECTED SOCIAL PROPERTY BROKENTS DESTANCE TO CONNECTED SOCIAL POINTER DESTANCE TO CONNECTED SOCIAL PROPERTY BROKENTS DESTANCE TO CONNECTED	E AQUIFER	06 SOLE SOURCE	٥	BITIAL YIELD	07 20	10 AQUET	04 047	ATER PLOW	TION OF GROUND	06 CIPE	ER .	TO GROUNDWATE
COMMENTS VECTORS of are for fractived of the comments agrifer may display COMMENTS VECTORS FOR A ARCHARD ON WATER TO STOCK A ARCHARD ON WATER TO STOCK ARCHARD ON MATERIAL OF THE COMMENTAL MOUNTAIN OF THE COMMENTAL PROPERTY DEPORTS OF WATER MAME: LITER ACTUALLY APPECTED BOOKS OF WATER LITER ACTUALLY APPECTED BOOKS O		C YES		-50	_ /				Souti			1.5
SUPFACE WATER USE COMMERCIAL OF B. STREATION SCONDINCALLY C. COMMERCIAL INDUSTRIAL D. NOT CURRED DANISHED WATER SOURCE MISCONDINCALLY RESOURCES APPECTED POTENTIALLY APPECTED SOURCE OF WATER NAME: CALLE ACTUAL POINT DISTANCE TO COMMERCIAL MOUSTRIAL DISTANCE TO COMMERCIAL DISTANCE DI	19e	x discha.	ins,	ociter bustoeen	MTB a	COLOR	2 Y		,	4		COMMENTS
C'A RESERVOIR, RECREATION B. PURGATION SCONOMICALLY C. COMMERCIAL, NOURTRIAL D. NOT CURVE MATERIAL WATER SOURCE OF WATER NAME: APPECTED FOREITY APPECTED SOURCE OF WATER 1/41 of appl als Point												
NAME: CALLED AND PROPERTY INFORMATION	TLY USEC). NOT CURRE NT	a D	ETRAL	DAL NO	, CCMMER	٥			a :	CREATION	EBERVOIR, REC
. DEMOGRAPHIC AND PROPERTY REPORTATION		DISTANCE TO S							ATER	/		
			_									
									ATION	Y INFOR	PROPULT	GRAPHIC AND
1 TOTAL POPULATION WITHOUT POPULATION		LATION A.	MT POPU	E 10 /E	42 647/44						•	CONCENTRAL WITH
ONE (1) MALE OF SITE TWO (2) MALES OF SITE (2) M	وحكة خصار		2 00	2							T	
NO OF PERSONS			7.W.W			<u> </u>	5 0 April	G		- 45	•	

Site is located adjacent to enterstate 20. Heavy populated residential and commercial areas exist

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

L DENTIFICATION
6A 6AD080091950
EA 6411080092930

AFIL	Part 5 - Water, Demograf	PHIC, AND ENVIRONMENTAL DATA	6A 6AN080091950
VI. ENVIRONMENTAL INFORM	MATION		
31 PERMEABILITY OF . MAILMATED			
<u>- 4</u> 10-0 - 1	0-4 cm/secC 8. 10-4 10-4 cm/sec	☐ C. 10-4 - 10-3 cm/sec ☐ D. GARATER TH	IAN 10-3 cm/sec
DE PERMEABILITY OF BEDROCK CH	· · · · · · · · · · · · · · · · · · ·		
_ A MPE!	PIMEABLE D'S RELATIVELY IMPERMEA		RY PERMEABLE
DO DEPTH TO BEDROCK	DA DEPTH OF CONTAMINATED SOIL ZONE	OS SOIL OF	
10-20 M		5-7	
DE HET PRECIPITATION	3.25	STE SLOPE OFFICTION OF SITE SLO	TERRAIN AVERAGE SLOPE
JO PLOGG POTENTIAL	1:0	South	
Jn.		NER IBLAND. COABTAL HIGH HAZARD AREA, RI	VERME PLOCOWAY
11 DISTANCE TO WETLANDS I HIT THE	~	12 DETAICE TO CRITICAL HABITATING ANDROPORT OF	
ESTUARME	OTHER A,	1/5	(m à
A >200 (mg)	• 5800 H.	Bully was a second	
13 LAND USE OF VICINITY		BACANGERED SPECIES:	
OISTANCE TO:	RESIDENTIAL AREAS: NATY RIAL FORESTS, OR WILDLE	DNALISTATE PARKS. AGRICU	LTURAL LANCE
COMMERCIAL/INDUST	MAL FORESTS, OR WILDLE	PERSONNES PRIME AG LAND	AGUNO
f_{ij}	4. 4.		`
A LOU THE	h 8. <u>77</u>	(m) C(i	0 <u>>10</u> mi
14 DESCRIPTION OF SITE IN ABLATION	He is located on hi	igh ground at the his	sudicities of
a small strain	in which flows :	En the word	
a shall sived	ii) willing ; lows _	3001000000	
VIL SOURCES OF INFORMATIO	III (Che quadh abhanna, e.p., aith das aman anns		
Ref. 1			

&EP/			POTENTIAL HAZARDOUS WAST SITE INSPECTION REPORT ART 6 - SAMPLE AND FIELD INFOR	E SITE MATION	CA CHOSO091950
IL SAMPLES TAI	KEN				
SAMPLE TYPE		OI MANUEL OF	02 SAMPLES SENT TO		STAC OFFICE ED
GROUNDWATE	•				
SURFACE WATE	ER				
WASTE					
A#					
AUNOFF					
SPLL					
SOL					
VEGETATION					
OTHER					
IL FIELD HEASU	NEMENTS TAN	(III)			
OI TYPE		os consents			
·		·			
			·		
IV. PHOTOGRAPH					
01 PME 12 0FIGU			SE IN CLERCOSY OF	- FITIV	
03 m/6 C/88	04 LOCATION	N/U	15 FIT-TK (topo myss)	
V. OTHER PIELD	ATA COLLEC	10 ~~~			
		Vone			
), KIED AND AUTOR OWNERS, PROVING		
A	\ef. 5				
ı	V T				

02 STATE 07	0+8 HAMBER 04 SEC CODE 20 ZO Z 0+8 HAMBER 04 SEC CODE 0+8 HAMBER	PARENT COMPANY / COMMAND OS NAME 10 STREET ACCRESS /P 0 Sec. M/G / M/G / 12 CITY 08 MAME 10 STREET ACCRESS /P 0 Sec. M/G / M/G / 12 CITY 08 MAME 10 STREET ACCRESS /P 0 Sec. M/G / M/G /	13 STATE	09 0 - 8 NUMBER 11 SIC CODE 14 EP CODE 15 SIC CODE 16 EP CODE
02 STATE 07	O4 SEC CODE O4 SEC CODE O4 SEC CODE O4 SEC CODE	OS NAME 10 STREET ACORESS (P.O. See, AFO P. 400.) 12 CITY 08 MAME 10 STREET ACORESS (P.O. See, AFO P. 400.) 12 CITY 08 NAME	' 3 STATE	11 SIC CODE 14 ZIP CODE 14 ZIP CODE
02 STATE 07	O4 SEC CODE	OS NAME 10 STREET ACORESS (P.O. See, AFO P. 400.) 12 CITY 08 MAME 10 STREET ACORESS (P.O. See, AFO P. 400.) 12 CITY 08 NAME	' 3 STATE	11 SIC CODE 14 ZIP CODE 14 ZIP CODE
\$7A7E 07	COOR COOR COOR COOR COOR COOR COOR COOR	12 CITY 08 MAME 10 STREET AGORESS IF O Box. AFO F 682.7 12 CITY 08 MAME	13 STATE	14 ZIP CODE 14 ZIP CODE
\$7A7E 07	O4 SIC COOR O4 SIC COOR O4 SIC COOR	10 STREET ACCRESS IP O San. APO P 180.7 12 CITY 08 NAME	13 STATE	14 ZIP CODE
02 037A7E 07 02	04 SIC CODE 2P CODE 04 SIC CODE 04 SIC CODE	10 STREET ACCRESSIF O San. APO F san.) 12 CITY OS NAME	13 STATE	14 ZIP CODE
02 037A7E 07 02	04 SIC CODE 2P CODE 04 SIC CODE 04 SIC CODE	10 STREET ACCRESSIF O San. APO F san.) 12 CITY OS NAME	I J STATE	SIC CODE
9 37 A T E 07	CP CODE O+8 NUMBER O4 SEC CODE	12 OTY 08 NAME		1 A ZIP COO€
9 37 A T E 07	0+8 NUMBER	OB NAME		
STATE O7	04 BIC CODE			0 0 0 + 0 NUMBER
		10 STREET ADDRESS /P G. dos. APD # est.1		
	79 0000			11 SIC COOE
	_ ~~	12 017	(1) STATE	14 29 COM
TAR				
93.0	0+6 MUMBER	OR MANE		000+6 MANGER
	04 SEC COOR	10 STREET ACCIPERS IP O. Sec. APD F		1 I SIC COOE
STATE OF	59 COOL	12 CRV	13 \$7AFE	14 29 COOE
		N. REALTY OWNERS & water		
C, OE C	D+6 HARRIST	01 NAME		02 0+6 NUMBER
	04 80 0000	OG STREET ADDRESSTY & San AND A. asp.		04 SIC COOE
1		SC CALLY	OS STATE	67 29 COOR
		er west		50 5+6 HLMSEN
·	6- 80 COM	00 STREET ASSPECTS (* 0 5m APO 4 m)	. <u></u>	04 SEC CODE
The second second	0000	el env	GS STATE	67 29 COOL
100	+ S HARRIS	51 WM		OE D+ 6 HLANGER
	64 EC COOE	00 STREET ADSPESS (* 6. Aug. 479 /. dk.)		04 SC 000S
STATE 07	2000E	os onv	SE STATE	97 59 COOK
***		A 444		
	Ca (04 0+0 HAMBER 05 0+0 HAMBER 06 0+0 HAMBER 07 0+0 HAMBER 08 0+0 HAMBER 08 0+0 HAMBER 08 0+0 HAMBER 09 0+0 HAMBER 00 0+0	STATE OF SP COOL IN. REAL TY CHINERS A COMMON CO. OF DIS GROWN CO. STREET ACCRESS OF C. CO. AND A. CO. STATE OF SP COOL OF STREET ACCRESS OF C. CO. AND A. CO. STATE OF SP COOL OF STREET ACCRESS OF C. CO. AND A. CO. STATE OF SP COOL OF STREET ACCRESS OF C. CO. AND A. CO. STATE OF SP COOL OF STREET ACCRESS OF C. CO. AND A. CO. STATE OF SP COOL OF STREET ACCRESS OF C. CO. AND A. CO. STATE OF SP COOL OF STREET ACCRESS OF C. CO. AND A. CO. STATE OF SP COOL OF STREET ACCRESS OF C. CO. AND A. CO. STATE OF SP COOL OF STREET ACCRESS OF C. CO. AND A. CO. STATE OF SP COOL OF STREET ACCRESS OF C. CO. AND A. CO. STATE OF SP COOL OF STREET ACCRESS OF C. CO. STATE OF	STATE OF SP COOR 12 CMV 12 CMV 13 STATE 14 STATE 15 STATE 16 SEC COOR 17 CMV 18 STATE 19 STATE 1

ANGER 10 NAME COOK 12 STREET A DE 14 CITY PREVIOUS MEER 10 NAME	DOPESS (FO SE APP F SE)	19 STATE	13 SIC COOR
ANGER 10 NAME COOK 12 STREET A DE 14 CITY PREVIOUS ANGER 10 NAME COOK 12 STREET A 14 CITY	COMESS: PO SEL AND FEE;	19 STATE	13 SEC CODE
PREVIOUS 13 STREET AS 14 CTV	S OPERATORS' PARE	19 STATE	0 ZIP CODE
PREVIOUS 10 HAME CODE 12 STREET A		ET COMPANIES	13 SC COOE
PREVIOUS 10 HAME CODE 12 STREET A		ET COMPANIES	13 SC COOE
PREVIOUS 10 HAME CODE 12 STREET A			13 SIC CODE
10 MAGE 12 STREET A 14 CITY			13 SIC CODE
12 STILLET A	00FE88 (F Q. Sac. 449 F sac.)		13 SC COOE
14 GTV	00F888 (F Q. Inc. 449 F stg.)		
TAC,		15 STATE	10 20 COOR
7 7			
EAC,			
15 110			
			11 0+8 MUNICIPA
12 STREET A	007605 / 4 dec #70 / est		13 90 000
14 OTV		18 STATE	16 2P COOE
		ii	
10 NAS		<u>-</u>	11 0+6 HLAGEA
12 START A	100 10 to 100 to 100		13 SEC COOR
14 (87)		10 6/4/10	10 20 COOS
	Addition 18 annual A	10 HANS 12 STREET ASSESSED IN G. CO. AND AND C. CO.	18 STATE 14 STATE 16 STATE

⊕EPA	POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 9 - GENERATOR/TRANSPORTER INFORMATION 1. IDENTIFICATION OF STATE O				S'E WLHAER
II. ON-SITE GENERATOR					
31 MAME	0	REDILLIM B+0			
CU STREET ADDRESS # 2 dec 440 # set :		04 SEC COOE			
DE CITY	OG STATE OF	2P COOR	-		
III. OFF-SITE GENERATORS)			<u> </u>		
DI NAME	02	D+8 NUMBER	O1 NAME		02 3-8 %0 4668
OJ STREET ADDRESS P.O. Box. MO.P. org.		04 SEC COOR	03 STREET ACCRESS IP O See. APO P one.		34 SIC COC€
05 GTV	06 STATE 07	25 COOM	06 CTY	OS STATE	OF ZIP COCE
O1 NAME	01	0+6 MAGER	01 NAME		02 0-6 NUMBER
OJ STREET ACCINESS IP O. San. APO F. str. J	L	04 SEC COOR	OS STREET ADDRESS (P. G. San. APR P. CO.)		94 SE CODE
OS CITY	DE STATE OF	D COOL	06 GTV	OS STATE	07 2 COOL
IV. TRANSPORTER(S)			_ 		
O1 house	68	D+ 6 NI,A4BER	O1 NAME		02 0+8 NUMBER
03 STREET ADDRESS IP 0. Box. APO P. ost.)		04 SEC 00008	03 STREET AGGRESS (P.O. San. 400 P. cal.)		34 SIC CODE
06 CaTV	OS STATE OF	3 0004	96 GTY	00 STATE	07 2P COOL
O1 read	68	\$+0 MARKET	01 MARIE		02 D+0 MANGER
03 STREET ADDRESS IP G. San. APR F. onl.)		64 85 CC05	06 STREET ASSURES (* 0. dm. 449 /. m.)		04 SIC COOR
SI GITY	M STATE OF	D COM	60 GTY	C) S/A/C	67 29 COCS
V. SOURCES OF SUPORMATION					
State of Gur	gia acc	d EPP.	file material		

SEPA	POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 10 - PAST RESPONSE ACTIVITIES		CA GADOSOO 92950
IL PAST RESPONSE ACTIVITIES			
01 C A. WATER SUPPLY CLOSED 04 DESCRIPTION	02 DATE	03 AGENCY	
01 I 8 TEMPORARY WATER SUPPLY PROVID 04 DESCRIPTION	02 DATE	03 AGENCY	
31 I C PERMANENT WATER SUPPLY PROVIDE 04 DESCRIPTION	ED 02 DATE	D3 AGENCY	
01 TO SPILLED MATERIAL REMOVED 04 DESCRIPTION	02 DATE	OJ AGENCY	
01 C E. CONTAMBATED SOL REMOVED 04 DESCRIPTION	OZ DATE	03 AGENCY	
01 C F WASTE REPACKAGED 04 DESCRIPTION	OZ DATE	03 AGENCY	
01 C Q. WASTE DISPOSED SLIEWIGHE 04 DESCRIPTION	OZ GATE	03 AGENCY	
01 C H. ON SITE BURBAL 04 DESCRIPTION	OS DATE	03 AGENCY	
01 (2 I. IN SITU CHEMICAL TREATMENT 04 DESCRIPTION	OS DATE	03 AGENCY	
01 (3. IN SITU BIOLOGICAL TREATMENT 04 DESCRIPTION	OF DATE	-	
01 C K IN SITU PHYSICAL TREATMENT 04 DESCRIPTION	OR DATE	OS AGENCY	
01 C L. BICAPBLEATION 04 DESCRIPTION	GE GAFE	OS AGRICY	
O1 C M. BASTABLEY WASTE THEATMENT O4 DESCRIPTION			
01 C N. CUTOFF WILLS 04 DESCRIPTION	CZ DATE	03 AGD CY	
01 C O EMERGENCY DIGING/SUFFACE WATER 04 DESCRIPTION	OMERSION 02 DATE	09 AGENCY	
01 C P CUTOFF TRENCHES/SUMP 04 DESCRIPTION	OS DATE	OS AGENCY	
01 C O. SUBSLIFFACE CLITOFF WALL 04 DESCRIPTION	OZ DATE	03 MODICY	

≎EPA	POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 10 - PAST RESPONSE ACTIVITIES	OF TATE OF STE SAME OF 1950
II PAST RESPONSE ACTIVITIES Common		
01 TR BANNER WALLS CONSTRUCTED 04 DESCRIPTION	OZ DATE	OS AGENCY
31 II S CAPPING COVERING 34 DESCRIPTION	02 DATE	33 AGENCY
01 II * BULK TANKAGE REPARED 04 DESCRIPTION	OZ DATE	03 AGENCY
01 T U GROUT CURTAIN CONSTRUCTED 04 DESCRIPTION	02 DATE	OJ AGENCY
01 I V BOTTOM SEALED 04 DESCRIPTION	OZ DATE	
01 I W GAS CONTROL 04 DESCRIPTION	OS DATE	03 AGENCY
01 I X. FINE CONTROL 04 DESCRIPTION	OS DATE	
OT I V LEACHATE TREATMENT OF DESCRIPTION	O2 DATE	
01 Z Z AREA EVACUATED 04 DESCRIPTION	OZ DATE	
01 T 1 ACCESS TO SITE RESTRICTED 04 DESCRIPTION	OR DATE	GB AGENCY
01 = 2. POPULATION RELOCATED 04 DESCRIPTION	CE DATE	03 AGE(CY
or 04.000 remedial activities at 3000 g	allow 5 p. 11 of 8 % sulfir	ic acid occurred on 8/1/28
A unknown quantity enter wastewater treatment x	allow spill of 8% sulfired on-site drams and went to the facility.	le Congers municipal
AL SOURCES OF INFORMATION on week now	d con Colon Gall	
Since Congrue and	d EPA file muterial.	

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 11 - ENFORCEMENT INFORMATION

I IDENT	FICATION
OI STATE	6A0080092450
GA	GANO80092450

IL ENFORCEMENT INFORMATION

OF PAST REGULATORY ENFORCEMENT ACTION IN VES 1940

DE DESCRIPTION OF FEDERAL STATE LOCAL REGULATORY/ENFORCEMENT ACTION

NA.

IL SOURCES OF REPORTATION (to qualit relevant 4.5. see the same result result

Rof. 25

RCRA/NPL POLICY QUESTIONNAIRE FOR INITIAL SCREENING

Site	Name: Frey, John S. Porcelain, Inc.		
City	: Convers State: Gac		
EPA I	I.D. Number: 6AD 0800 92950		
Type	of Facility: Generator Transporter Dispos Treatment Storage (more than 90 da	al ys)	_
I. F	RCRA APPLICABILITY	yes	no
	Has this facility treated, stored or disposed of a RCRA hazardous waste since Nov. 19, 1980?		<u>~</u>
	Has a RCRA Facility Assessment (RFA) been performed on this site?		<u></u>
	Does the facility have a RCRA operating or post-closure permit? If so, date issued		_
	Did the facility file a RCRA Part A application?	L	
	If so:1) Does the facility currently have interim status?2) Did the facility withdraw its interim status?3) Is the facility a known or possible protective filer?		<u></u>
1	Is the facility a late (after Nov. 19, 1980) or non-filer that has been identified by EPA or the State?		V
	STOP HERE IF ALL ANSWERS TO QUESTIONS IN SECTION I A	AZE NO	
II.	FINANCIAL STATUS		
	Is the facility owned by an entity that has filed for bankruptcy under federal or State laws?		
III.	RCRA ENFORCEMENT STATUS		
	Has the facility lost authorization to operate or had its interim status revoked?		
	Has the facility been involved in any other RCRA enforcement action?		<u> </u>

FOTO EXEMPT

HAZARD RANKING SYSTEM SCORING SUMMARY

FOR

FREY, JOHN S. PORCELAIN, INC. EPA SITE NUMBER GADOBO092950 CONYERS ROCKDALE COUNTY, GA EPA REGION: 4

SCORE STATUS: IN PREPARATION

SCORED BY STEVE WALKER OF NUS CORP. ON 06/28/89

DATE OF THIS REPORT: 07/05/89
DATE OF LAST MODIFICATION: 07/05/89

GROUND WATER ROUTE SCORE: 27.76
SURFACE WATER ROUTE SCORE: 7.27
AIR ROUTE SCORE: 0.00

MIGRATION SCORE : 16.59

HRS GROUND WATER ROUTE SCORE

	CATEGORY/FACTOR		RAW DAT	Α	ASN. VALUE	SCORE
1.	OBSERVED RELEAS	E	NO		0	Ó
2.	ROUTE CHARACTER	ISTICS	THE STATE OF MANAGEMENT AND		- marrin an albeid, in vigor and in the Prince surfection wherein interests are up the 20 to 10	
	DEFTH TO WATER DEFTH TO BOTTOM			FEET FEET		
	DEPTH TO AQUIFE	R OF CONCERN	14	FEET	3	6
	PRECIPITATION EVAPORATION			INCHES INCHES		
	NET PRECIPITATI	ОИ	6.0	INCHES	2	2
	PERMEABILITY		1.0X10-6	CM/SEC	i	1
	PHYSICAL STATE				3	3
	TOTAL ROUTE CHA	RACTERISTICS S	CORE:			12
3.	CONTAINMENT				3	3
4.	WASTE CHARACTER	ISTICS				
	TOXICITY/PERSIS	TENCE:ASSIGNED	VALUE,18			18
	WASTE QUANTITY	CUBIC YDS DRUMS GALLONS TONS	2501 0 0 0			
		TOTAL	2501	CU. YDS	s 8	8
	TOTAL WASTE CHA	RACTERISTICS S	CORE:			26
5.	TARGETS					
	GROUND WATER US	E			3	9
	DISTANCE TO NEA AND TOTAL POPULATIO NUMBER OF HO NUMBER OF PE NUMBER OF COI NUMBER OF IR	N SERVED JSES RSONS	4000 MATRIX VA 84 22 0 0		8	8
	TOTAL TARGETS SO	CORE:				17

HRS SURFACE WATER ROUTE SCORE

	CATEGORY/FACTOR	RAW DAT	A	ASN. VALUE	SCORE
1.	OBSERVED RELEASE	NO		()	O
2.	ROUTE CHARACTERISTICS	***************************************		و من منا مناسب من و هو من مناطقه و ماده والحصوص و من مناسب مناسب و مناسب و المناسب و المناسب و المناسب و المناسب	
	SITE LOCATED IN SURFACE WATER SITE WITHIN CLOSED BASIN FACILITY SLOPE INTERVENING SLOPE	NO NO 2.0 1.5		o	ó
	24-HOUR RAINFALL	3.5	INCHES	3	3
	DISTANCE TO DOWN-SLOPE WATER	1250	FEET	а	4
	PHYSICAL STATE		3		3
	TOTAL ROUTE CHARACTERISTICS SC	ORE:			10
Э.	CONTAINMENT		3		3
4.	WASTE CHARACTERISTICS			na kana di Mili da kana mananana manana manana manaka manana manana di kana manana di kana manana di kana mana	
	TOXICITY/PERSISTENCE:ASSIGNED \	VALUE,18			18
	WASTE QUANTITY CUBIC YDS DRUMS GALLONS TONS	2501 0 0 0			
	TOTAL	2501	CU. YE	s 8	8
	TOTAL WASTE CHARACTERISTICS SCO	DRE:			26
5.	TARGETS				
	SURFACE WATER USE			2	6
	DISTANCE TO SENSITIVE ENVIRONME COASTAL WETLANDS FRESH-WATER WETLANDS CRITICAL HABITAT	ENTS NONE 5800 NONE	FEET	0	0
	DISTANCE TO STATIC WATER DISTANCE TO WATER SUPPLY INTAKE AND TOTAL POPULATION SERVED NUMBER OF HOUSES NUMBER OF PERSONS NUMBER OF CONNECTIONS NUMBER OF IRRIGATED ACRES		MILE	0	0
	TOTAL TARGETS SCORE:				6

HRS AIR ROUTE SCORE

	CATEGORY/FACTOR	RAW DATA	ASN. VALUE	SCORE
1 .	OBSERVED RELEASE	NO	0	Ō

2. WASTE CHARACTERISTICS

REACTIVITY:

INCOMPATIBILITY

TOXICITY

WASTE QUANTITY CUBIC YARDS

DRUMS GALLONS TONS

TOTAL

TOTAL WASTE CHARACTERISTICS SCORE:

N/A

MATRIX VALUE

3. TARGETS

POPULATION WITHIN 4-MILE RADIUS

- 0 to 0.25 mile
- 0 to 0.50 mile
- O to 1.0 mile
- O to 4.0 miles

DISTANCE TO SENSITIVE ENVIRONMENTS COASTAL WETLANDS FRESH-WATER WETLANDS CRITICAL HABITAT

DISTANCE TO LAND USES
COMMERCIAL/INDUSTRIAL
PARK/FOREST/RESIDENTIAL
AGRICULTURAL LAND
PRIME FARMLAND
HISTORIC SITE WITHIN VIEW?

TOTAL TARGETS SCORE:

NZA

HAZARD RANKING SYSTEM SCORING CALCULATIONS FOR

SITE: FREY, JOHN S. PORCELAIN, INC. AS OF 07/05/89

GROUND WATER ROUTE SCORE

ROUTE CHARACTERISTICS 12
CONTAINMENT X 3
WASTE CHARACTERISTICS X 26
TARGETS X 17

= 15912 /57,330 X 100 = 27.76 = S₉ ω

SURFACE WATER ROUTE SCORE

ROUTE CHARACTERISTICS 10
CONTAINMENT X 3
WASTE CHARACTERISTICS X 26
TARGETS X 6

= $4680 / 64,350 \times 100 = 7.27 = S_{-}$

AIR ROUTE SCORE

OBSERVED RELEASE 0 /35,100 X 100 = 0.00 = S_{max}

SUMMARY OF MIGRATION SCORE CALCULATIONS

	S 	5 =
GROUND WATER ROUTE SCORE (Sq.)	27.76	770.62
SURFACE WATER ROUTE SCORE (S_w)	7.27	52,85
AIR ROUTE SCORE (Sair)	0.00	0.00
5° 0 + 5° 0		823.47
J (Seg. + Se. + Se.)		28.70
$S_{M} = \sqrt{(S_{ww}^{2} + S_{ww}^{2} + S_{ww}^{2})/1.73}$		16.59

OVERSIZED DOCUMENT

U. S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF EMERGENCY AND REMEDIAL RESPONSE DATA BASE UPDATED 85/01/03 T.1 - ERRIS TURNAROUND DOCUMENT

RUN DATE: 85/01/03 RUN TIME: 23:43:00

PAGE: 441

) SITE DATA EPA ID NO.: GAD080092950 SHEET 01

(ACTION: *_* - FOR DATA ENTRY USE ONLY)

SF ID: * * * * * * SITE NAME: FREY JOHN S PORCELAIN INC SOURCE: N SOURCE COUNTS: * * * _ * STREET: 1035 S ACCESS RD CONG. DIST: 04 NOTIS: NATL PRIORITY: N CITY: CONYERS ST: GA ZIP: 30207-___ STS: HRS: *___.* CNTY NAME: ROCKDALE CNTY CODE: 247 HWDMS: HRS DATE (YY/MM): *___/_ * LATITUDE: 33/39/54.0 LONGITUDE: 084/01/42.0 COMPOSITE: 0 RESPONSE TERMINATION (CHECK ONE IF APPLICABLE): PENDING * * NO FURTHER ACTION X OTHER: ENF. DISP. (CHECK ANY THAT APPLY): NO VIABLE RESP. PARTY * * VOL. RESP. * * ENF. RESP. * * COST RECOV. * * RSPO NAME: *_____ * RSPO PHONE: *____ * FED. FAC. (Y/N): N NON-SITE: *_* SMSA: 0520 USGS HYDRO. UNIT: 03070103 REG. FLD1: *____* REG. FLD2: *__* SITE DESCRIPTION: *_____

EVENTS

****	(ACTION - FOR DATA ENTRY USE ONLY)	EVENT TYPE	DATE (YY/MM) STARTED	DATE (YY/MM) COMPLETED		THER COUNTS
RESPONSE	* <u>*</u> * (X) SITE DISCOVERY (SD)		81/06		
EVENTS	*_* (×) PRELIMINARY ASSESSMENT (PA)	82/09	82/09	x * <u>*</u> *	
	_	SITE INVESTIGATION (SI)	*/*	*/*	** **	
	**	REMEDIAL ACTION (RD)	*_/_*	*/*	*_* *_* *_* *	_* **
	**	REMOVAL ACTION (RV)	*/*	*/*	*_* *_* *_* *	_* **
ENFORCE.	**	ENFORCEMENT INVESTIGATION (E)	D */*	*/*	*_* *_*	*
EVENTS	**	ADMINISTRATIVE ORDER (AO)	*/*	*/*	*_* *_*	*
	**	JUDICIAL ACTION (JA)	*/*	*/*	*_* *_*	*

U. S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF EMERGENCY AND REMEDIAL RESPONSE DATA BASE UPDATED 85/01/03 T.1 - ERRIS TURNAROUND DOCUMENT

PAGE: 442 RUN DATE: 85/01/03 RUN TIME: 23:43:00

EPA ID NO.: GAD080092950 SHEET 02

SITE NAME: FREY JOHN S PORCELAIN INC	
ALIAS AND ALIAS LOCATION DATA	
ALIAS (ACTION ** - FOR DATA ENTRY USE ON	LY)
SEQ. NO.: ** ALIAS NAME: *	* SOURCE: *_*
ALIAS LOCATION (ACTION ** - FOR DATA EN	TRY USE ONLY)
CONTIGUOUS PORTION OF SITE: **	
STREET: *	* CONG. DIST.: **
CITY: *	_* ST: ** ZIP: **
CNTY NAME: *	_* CNTY CODE: **
LAT: *//* LONG.: */_	_/* SMSA: ** USGS HYDRO. UNIT: **
ALIAS (ACTION ** - FOR DATA ENTRY USE ON SEQ. NO.: ** ALIAS NAME: *	LY)* SOURCE: **
ALIAS LOCATION (ACTION ** - FOR DATA EN	TRY USE ONLY)
CONTIGUOUS PORTION OF SITE: **	
STREET: *	* CONG. DIST.: **
CITY: *	_* ST: ** ZIP: **
CNTY NAME: *	_* CNTY CODE: **
LAT: *//* LONG.: */_	_/* SMSA: ** USGS HYDRO. UNIT: *

U. S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF EMERGENCY AND REMEDIAL RESPONSE DATA BASE UPDATED 85/01/03 T.1 - ERRIS TURNAROUND DOCUMENT

PAGE: 443 RUN DATE: 85/01/03 RUN TIME: 23:43:00

EPA ID NO.: GAD080092950 SHEET 03

SITE NAME: FREY JOHN S PORCELAIN INC

SITE COMMENTS

(ACTION - FOR DATA ENTRY USE ONLY)	COMMENT NUMBER	COMMENT	
**	**	*	*
**	**	*	*
**	**	*	*
**	**	*	*
**	**	*	*
**	**	*	*
**	**	*	*
* <u></u> *	**	*	*
**	**	*	*
**	**	*	*
**	**	*	*
**	**	*	×
**	**	*	*
**	**	*	×
* *	**	*	*
 * *	* *	*	 *
* *	* *	*	
* *	* *	*	
**	* *	*	
* *	* *	*	
* *	* *	*	······································
^—^ * *	^^ * *	*	~*

U. S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF EMERGENCY AND REMEDIAL RESPONSE DATA BASE UPDATED 85/01/03 T.1 - ERRIS TURNAROUND DOCUMENT

PAGE: 444 RUN DATE: 85/01/03 RUN TIME: 23:43:00

EPA ID NO.: GAD080092950 SHEET 04

SITE NAME: FREY JOHN S PORCELAIN INC

REGIONAL ENTRIES

(ACTION - FOR DATA ENTRY USE ONLY)	ENTRY CODE	DESCRIPTION	DATE1 (YY/MM/DD)	DATE2 (YY/MM/DD)	DATE3 (YY/MM/DD)	FREE FIELD
**	**	*	* *//*	*//*	*/* ;	* {;
**	**	*	* *//*	*/*	*//* ·	*
**	**	*	* * <u></u> //*	*/*	*//*	* •
**	**	*	* *//*	*/*	*/* :	* ,
_	**	*	* *//*	*/*	*//*	**
**	**	* *	* *//*	*/*	*//*	* *
**	**	*	* *//*	*/*	*/*	<u>*</u> *
**	**	*	* *//*	*/*	*//* :	**
**	**	*	* *//*	* <u>/_</u> _*	*//*	**
**	**	*	* *//*	*/*	*/*	*
**	**	*	* *//*	*/*	*/*	**
**	**	*	* *_//*	*/*	*/*	*
**	**	*	* *//*	*/*	*/*	*
**	*,;	*	* *//*	*_/_/_*	*_/_/_*	* **



JOE D. TANNER Commissioner

Department of Natural Resources

ENVIRONMENTAL PROTECTION DIVISION
270 WASHINGTON STREET, S W
ATLANTA, GEORGIA 30334

J. LEONARD LEDBETTER
Division Director

April 14, 1981

Mr. Lee Schreckengost General Manager John S. Frey Porcelain, Inc. P.O. Box 365 Conyers, GA 30207

Dear Mr. Schreckengost:

It is the determination of this office that the porcelain enamel recovery process of John S. Frey Porcelain, Inc., if used and returned to Chi-Vit Corporation as described in your letter of March 16, would qualify for an exemption under Georgia rules, Section 391-3-10-.07(3).

Please note that final Federal regulations regarding recycled and/or recovered materials are yet to be promulgated at which time this process may need reconsideration for exemption.

I am available at 404/656-2833 if you need more information.

Sincerely,

Bettye Mokgoatsage

Environmental Specialist Industrial & Hazardous Waste

Management Program

bpk

POTENTIAL HAZARDOUS WASTE SITE IDENTIFICATION AND PRELIMINARY ASSESSMENT

REGION SITE NUMBER (to be as-

NOTE: This form is completed for each potential hazardous waste site to help set priorities for site inspection. The information submitted on this form is based on available records and may be updated on subsequent forms as a result of additional inquiries and on-site inspections. GENERAL INSTRUCTIONS: Complete Sections I and III through X as completely as possible before Section II (Preliminary Assessment), File this form in the Regional Hazardous Waste Log File and submit a copy to: U.S. Environmental Protection Agency; Site Tracking System; Hazardous Waste Enforcement Task Force (EN-335); 401 M St., SW; Washington, DC 20460. I. SITE IDENTIFICATION A. SITE NAME B. STREET (or other identifier) RO 1035 FREY PORCELAIN 5. A << E 55 C. CITY D. STATE E. ZIP CODE F. COUNTY NAME 30207 GA. CONYERS ROCKDALE G. OWNER/OPERATOR (If known) 2. TELEPHONE NUMBER GEN MGR. SCHRECKENGOST, LEE 483 3170 H. TYPE OF OWNERSHIP 1. FEDERAL 2. STATE 3. COUNTY 4. MUNICIPAL 3. PRIVATE 6. UNKNOWN I. SITE DESCRIPTION NO SITE K. DATE IDENTIFIED (mo., day, & yr.) NOTIFICATION L. PRINCIPAL STATE CONTACT 1. NAME N) McCALL III Moses II. PRELIMINARY ASSESSMENT (complete this section last) A. APPARENT SERIOUSNESS OF PROBLEM A NONE 1. HIGH _____ 2. MEDIUM _____ 3. LOW 5. UNKNOWN B. RECOMMENDATION 1. NO ACTION NEEDED (no hexard) 2. IMMEDIATE SITE INSPECTION NEEDED 3. SITE INSPECTION NEEDED
a. TENTATIVELY SCHEDULED FOR: b. WILL BE PERFORMED BY: S. WILL BE PERFORMED BY: 4. SITE INSPECTION NEEDED (low priority) C. PREPARER INFORMATION 3. DATE (Mo., day, & yr.) USSERY IM III. SITE INFORMATION A. SITE STATUS 3. OTHER (apecity):
(Those sites that include such incidents like "midnight dumping" where no regular or continuing use of the site for waste disposal has occurred.) 2. INACTIVE (Those sites which no longer receive 1. ACTIVE (Those Industrial or municipal sites which are being used for waste treatment, storage, or disposal on a continuing basis, even if infrewaetes.) B. IS GENERATOR ON SITE? 1. NO 2. YES (specify generator's four-digit SIC Code): C. AREA OF SITE (in acres) D. IF APPARENT SERIOUSNESS OF SITE IS HIGH, SPECIFY COORDINATES 2. LONGITUDE (deg.-min.-eec.) 1. LATITUDE (deg.-min.-eec.) E. ARE THERE BUILDINGS ON THE SITE! 1. NO 2. YES (specify):

Co	ntinued From Front											
					CHARACTERIZATI							
		e activity(es) and det	ail	relating to each ac	tiv	ity by marking 'X' i	n t	he appropr	iate boxes	١,	
Ě	A. TRANSPOR	ITER	X	8.	STORER	×	C. TREATE	₹	'×'). E	DISPOSER
L	1. RAIL		1. PILE			Ţ	FILTRATION			. LANDFI	LL	
L	2. SHIP			_	EIMPOUNDMENT	-+	INCINERATION			LANDFA		
\vdash	S. BARGE		3. DRUM	_		-+-	. VOLUME REDUCTI		- 	OPEN D		
⊩	4. TRUCK				SOVE GROUND	-	RECYCLING/RECO					MPOUNDMENT
⊢	6. OTHER (specify):		 	_	LOW GROUND	-	CHEM./PHYS. TRE			. MIDNIGH		· · · · · · · · · · · · · · · · · · ·
H	je. OTHER (appens).		6. OTHE	PC (4	pecity):	-	. BIOLOGICAL TREAT. WASTE OIL REPRO	_	~ + +	LUNDER	_	NOITSELNI DANG
					-	+	SOLVENT RECOVE	_		. OTHER	-	
9. OTHER (epecity):												
Ε	E. SPECIFY DETAILS OF SITE ACTIVITIES AS NEEDED											
Ļ	WASTE TYPE				V. WASTE RELATI	ΕD	INFORMATION					
l _]2. LIQUID	<u>3</u>	. sc	OLID4. SI	LU	OGE5. G	AS				
₿.	WASTE CHARACTE	RISTICS						_				
	1. UNKNOWN	2. CORROS	SIVE 🔲 3	. 10	NITABLE4. R	AD	OACTIVE S. H	IGI	HLY VOLAT	TILE		
	G. TOXIC	7. REACT	VE B	. 16	IERT9. F	LA	MMABLE					
	10. OTHER (specif	י (על):	·									
	WASTE CATEGORIE 1. Are records of wast		? Specify ite	708	such as manifests, in	7 6 0	tories, etc. below.					
									,			
Η,	Tetimote the sma				en la firmanta hui anta							
⊢∸		1		u	re)of waste by cate	Rot		T			T .	
AN	a. SLUDGE	AMOUNT	J1 <u>L</u>	AN	c. SOLVENTS	1	d. CHEMICALS		e, SOLI	D2	A	f. OTHER
U	NIT OF MEASURE	UNITOPM	EASURE UNIT OF MEASURE		UNIT OF MEASURE UNIT		NIT OF ME	ASURE	ŭ	IT OF MEASURE		
×	(1) PAINT, PIGMENTS	X' (1) OIL		·x·	(1) HALOGENATED SOLVENTS	×	(1) A CIDS	×	(1) FLYASI	н	'X'	(1) LABORATORY PHARMACEUT.
	(2) METALS SLUDGES	(2) OTH	ER(epecity):		(2) NON-HALOGNED.		(2) PICKLING LIQUORS		(2) ASBES	TOS		(2) HOSPITAL
	(3) POTW			_	(3) OTHER (specify):		(a) CAUSTICS		(3) MILLIN MINE T	G/ AILINGS		(3) RADIOACTIVE
	(4) ALUMINUM SLUDGE						(4) PESTICIDES		(4) FERRO	US WASTES		(4) MUNICIPAL
	(8) OTHER(epocity):						(S) DYES/IN KS		(8) NON-F	ERROUS , WASTES		(B) OTHER (apocity):
							(6) CYANIDE	┝	(6) OTHER	(epecify):		
							(7) PHENOLS					
							(6) HALOGENS					
							(9) PCB					
							(10) METALS					
	1					\vdash	(11) OTHER (specity)					

3. LIST SUBSTANCES OF GREATES	T CONCERN	WHICH MAY E	BE ON THE SITE (P	place in descending order of hexard).						
					· ·					
4. ADDITIONAL COMMENTS OR NAM	RRATIVE DE	SCRIPTION OF	F SITUATION KNOW	NO PREPORTED TO EXIST AT THE SI	TE.					
		VI. HAZ	ARD DESCRIPTION	ON						
·····	B. C. D.DATE OF									
A. TYPE OF HAZARD	TIAL HAZARD (mark 'X')	ALLEGED INCIDENT (merk 'X')	INCIDENT (mo., day, yr.)	E. REMARKS						
1. NO HAZARD										
2. HUMAN HEALTH										
3. NON-WORKER NJURY/EXPOSURE										
4. WORKER INJURY										
6. CONTAMINATION										
6. CONTAMINATION OF FOOD CHAIN										
7. CONTAMINATION OF GROUND WATER										
8. CONTAMINATION OF SURFACE WATER										
9. DAMAGE TO FLORA/FAUNA										
10. FISH KILL			. \ /							
11. CONTAMINATION OF AIR										
12. NOTICEABLE ODORS				1						
13. CONTAMINATION OF SOIL										
14. PROPERTY DAMAGE										
15. FIRE OR EXPLOSION										
16. SPILLS/LEAKING CONTAINERS/ RUNOFF/STANDING LIQUIDS										
17. SEWER, STORM DRAIN PROBLEMS										
16. EROSION PROBLEMS										
19. INADEQUATE SECURITY										
20. INCOMPATIBLE WASTES										
21. MIDNIGHT DUMPING	<u> </u>									
22. OTHER (epecity):										
		i i								

V. WASTE RELATED INFORMATION (continued)

Continued From Front

		VII. PERMIT INFO	RMATION				
A. INDICATE ALL APPLI	CABLE PERMITS HELD BY	THE SITE.					
I	2. SPCC PLAN						
	5. LOCAL PERMIT						
7 RCRA STORER	3. RCRA TREATER	9 RCRA DISPOSER					
10. OTHER (specify)):						
B. IN COMPLIANCE?							
1. YES	2. NO	3. UNKNOWN	!				
4. WITH RESPECT 1	O (list regulation name & no	ımber):					
	<u>V</u>	III. PAST REGULATOR	RY ACTIONS				
A. NONE	B. YES (summarize b	elow)					
	IX. INS	PECTION ACTIVITY	(past or on-going)				
A NONE	B. YES (complete item	14 1,2,3, & 4 below:	·				
I TYPE OF ACT'V	2 DATE OF PAST ACTIC (mo., day, & y	N BY:	4. DESCRIPTION				
		. \					
		107					
		1 / A					
	X. F	REMEDIAL ACTIVITY	(past or on-going)				
A. NONE	B. YES (complete item	13 1, 2, 3, & 4 below)					
1. TYPE OF ACTIV	2. DATE OF	3. PERFORMED BY:	4. DESCRIPTION				
NOTE: Based on the information in Sections III through X, fill out the Preliminary Assessment (Section II) information on the first page of this form.							

5 1 16 Red

9	FP/
	10079 F

POTENTIAL HAZARDOUS WASTE SITE

SETE NUMBER (to be as-August by Hg)

IDENTIFICATION AND PRELIMINARY ASSESSMENT NOTE: This form is completed for each potential hazardous waste site to help set priorities have anspection. The information submitted on this form is based on available records and may be updated on subsequent torms as a result of additional inquiries and on-site inspections. GENERAL INSTRUCTIONS: Complete Sections I and III through X as completely as possible before Section II (Preliminary Assessment). File this form in the Regional Hazardous Waste Log File and submit a copy to the inviconmental Protection A: Washington, DC 20460. GAD080092950 KUCKDALE FREY, JHAN S., PORCELAIN, INC for other Identifier 1035 S. ACCESS RO CONYERS E ZIP COOL TO FINITY NAME GA 30207 SCHRECKENGUS), DEE, GEH'* 4014833170 G LEPHONE NUMBER H. TYPE OF OWNERSHIP 5 PRIVATE THE FEDERAL Z. STATE TOUNTY 4 MUNICIPAL 1. SIT "103-C OTIFICATION" DATE: 010609 J. HC JIM SETZER B CATE (DENTIFIED PHONE: 4.4-656-2833 mo., dav. & yr.) L. PI THE ROOM OF MINDER A. APPARENT TERM USNESS OF PROBLEM 11. PRELIMINARY ASSESSMENT (complete this section but 4 NONE IS UNKNOWN RECOMMENDATION ACTION NET CED (no hezera) 2. IMMEDIATE SITE INSPILIT THAT WEEDED E INSPECTION NEEDED b. WILL BE BEEF SHARE ... ENTATIVELY SCHEDULED FOR WILL ME PERFORMED BY 4. SITE INSPECTION OF LIBERT TOWNS OR OVER C. PREPARER INFORMATION "E (mo., day, & yr.) 1. NAME U III. SITE INFORMATION A. SITE STATUS sites which no longer receive (Those sites that include some mostes) 1. ACTIVE (These todantital or municipal sites which we being used for waste treatment, non-ege, or disposal on a continuing bests, even if infrequently.) The second thinight dumping" where B. IS GENERATOR OH SLIF? [] 1. NO 2. YES (opecify generator's four-digit SIC Coder TEST TEST C. AREA OF SITE (1. deres) D. IF AFPARENT SERIOUSNESS OF SITE IS HIGH, SPECIES CARE eg. mic. sec. 12 6000 1 LATITUDE (deg.-mln.-eec.) E. ARE THERE BUILDINGS ON THE SITE! 1. NO 2. YES (specify):

Continued From Front	· · · · · · · · · · · · · · · · · · ·		na najakakakakakakakakakakakakakakakakakaka	Lington Colonia State (1997)	La principa, 18 49 B (Namerosia) a	
	11	. CHARACTERIZATIO	HOF SITE ACTIVITY			and the second of the second o
Indicate the major site	activity(ies) and deta	ails relating to each ac	tivity by marking 'X' is	the et Sook	gate hoxes.	Alexander
'X' A. TRANSPORT	E.R	B. STOPER	C. TREATER	* 4	0	DISPOSER
1. FAIL.	1. PILE		1. FIL TRATION	1	1 AND E10	
2. SH!P	2. 5 UK F A	CE IMPOUNDMENT	2 INCINERATION		LIFAR	
3. BARGE	3. DRUMS	;	3 VOLUME PEDUCTIO) tu	9. 1015 1. 1.121	MP
4. TRUCK		ABOVE GROUND	4 PERSYSLING PRESS		i .	DMPOUNDMENT
5. PIPELINE		BELOW GPOUND	5 CHEM./THYS. THE	. 1 1,41	* MIENIGHT	DUMPING
6. OTHER (specify).	6 OTHE	(specify)	5. BIOLOGICAL TREA	2	5. INCINERA	
1			7. WASTE OIL REPRO		7. UNDERGE	OUND INJECTION
I			8 SOLVENT RECOVE		ुंबि ८७म⊏पा≪	paclfy):
	1		9. O LUER (Specify):	į		
				š		
E CORCLEV DOTALL CO	ACCITE ACTIVITIES ::	NEUDED				
E. SPECIFY DETAILS O	IT SITE AUTIVITIES AS) NELOCO				
[
			ON INICADALA TIAN	********	e , liste e legal e commende de la legal	er a menger til mil i det som har som på det men kantalan <mark>ner. Det sterredet som men med sterredet som bedette b</mark>
A. WASTE TYPE		V. WASTE RELATI	PINTURMATION			
[]1 UNKNOWN	2 LIQUID (3	SOLID	Lange 1 5. G	A.S.		
B. WASTE CHARACTER	ISTICS		And the second of the second o		-	
[] UNKNOWN []	2 CORROSIVE	IGNITABLE ' 4 R	ADIOACTIVE TITS H	GARLY FOR A	THEF	
]e toxic]	7 REACTIVE 8	NERT a F	PERMANE			
[]] 10. OTHER (specify)	recognize the site of the site of	to the state of the second state of the second seco			
C. WASTE CATEGORIES)				•	
i, are records of waste	a available/ opecily it	ens auch as mainfests, in	is provided, the contraction			
2. Estimate the amou	nt(specify unit of me	isure)of waste by cate	gory, mark 'X' to indic	ate who how	oster are p	
a. SLUDGE	h. OIL	c. SOLVENTS	d, CHEMICALS		P	(, OTHER
AMOUNT	AMOUNT	AMOUNT	AMOUNT	ASICE, N	i i	AMCUNT
UNIT OF MEASURE	UNIT OF MEASURE	UNIT OF MEASURE	IN TO MEASURE) Ngreen () (e)	, v	JN F OF MEASURE
SHIT OF MEASURE	DALL OF MEASURE	CONT OF MEADONE				
	V.			i vi	··	Χ'
X' CE PAINT, PIGMENTS	X' (1) OIL Y WASTES	SOLVENTS	1 ACHOS			Y LABORATORY
				iri		
SEUDGES		(2) NON-HALIOGN*) SOLVENTS	12. PTCRUME UQUORI	1.12 00	i i	LATINBUIL .
<u> </u>				(j
(а) РОТW		13 OTHER Specify	9 2 4 3C A 7 A 7		TA TELLA	(2) RAD OACTIVE
					· · · · · · · · · · · · · · · · · · ·	
(4) A L UMINUM SLUDGE			a. Estign Es		Section 1	41MUNICIPAL
(1) 07 15 1(1)			1			J.BICTHER(specify):
			MELLINI STAKS		11/2015	
İ				1	10000	
			16) CYAN-CE		į	
			l !		į	
			1.1.1.15(1)(1.5	ě		
1				1	į	
1			ABOVA JUST NO) :	•	
			(w) S C R	! ;	i	
			(Marie 17 b)		1	
]				: }	1	
			thirty twos	•	:	
			UTTOTHER, apecuty		1	
1				3	} *	

Notification of Hazardous Waste Site

United States **Environmental Protection** Agency Washington DC 20460

This initial notification information is required by Section 103(c) of the Comprehensive Environmental Response, Compensation and Link like Act of 1020 and Link li sation, and Liability Act of 1980 and must

Please type or print in ink. If you need which applies.

810609

	be mailed by June 9, 1981.	and must	which applies.	s Frey for	celan GAS	000	00106		
A	Person Required to Notify:	son Required to Notify:		abmateanage	-				
	Enter the name and address of the person		Name Lee Schreckengost						
	or organization required to notify.		Street 1035	S.Access Rd.					
			City Conyer	s,	State Ga.	Zip Code	30207		
 В	Site Location:	· · · · · · · · · · · · · · · · · · ·		1					
	Enter the common name (if know actual location of the site.	n) and	Name of Site Ohn S Frey Porcelain, Inc.						
	2 2		Street 10	35 S.Access R	d.				
	GAD 08009295	.0	City Conyers,	county Rockda	le State Ga.	Zip Code	30207		
	Person to Contact:			Sahmaa	leannach I		. Wass		
	Enter the name, title (if applicable), and		Name (Last, First and Title)	DCULEC	kengost, L	ee -Ger	i.mgr.		
	business telephone number of the to contact regarding information submitted on this form.	e person	Phone 404- 483-3170						
)	Dates of Waste Handling:								
	Enter the years that you estimate treatment, storage, or disposal beended at the site.		From (Year)	To (Year)					
<u> </u>	Waste Type: Choose the optio	n you pre	efer to complete						
	Option I: Select general waste typyou do not know the general waste encouraged to describe the site in	te types or	sources, you are	Option 2: This optio Resource Conservati regulations (40 CFR	ion and Recovery				
	General Type of Waste: Place an X in the appropriate boxes. The categories listed overlap. Check each applicable category.	Source o Place an boxes.	f Waste: X in the appropriate	Specific Type of Wa EPA has assigned a listed in the regulation appropriate four-digithe list of hazardous contacting the EPA F located.	four-digit number ons under Section t number in the bastes and code	n 3001 of R oxes provid s can be ob	CRA. Enter the led. A copy of otained by		
	1. ☐ Organics	1. 🗆 Mi	ning	locatoa.					
	2. Inorganics		nstruction		T E m		3		
	3. ☐ Solvents	3. □ Tex			2 0				
	4. ☐ Pesticides	4. ☐ Fer		0	- w	T .			
	5. Heavy metals		per/Printing				\supset		
	6. □ Acids		ther Tanning	S	F. F.		٠		
	7. 🗆 Bases		n/Steel Foundry	5	+6				
	8. □ PCBs		emical, General				0		
	9. Mixed Municipal Waste		ting/Polishing		- <u>- </u> <u> </u>	1	C		
	10. Unknown		itary/Ammunition		<				
	11. ☐ Other (Specify)	11. □ Ele	ctrical Conductors			1			

12. ☐ Transformers 13. ☐ Utility Companies 14. ☐ Sanitary/Refuse 15.

Photofinish 16. ☐ Lab/Hospital 17.
Unknown 18. ☐ Other (Specify)

Form Approved OMB No. 2000-0138

	Notification of Hazardous Waste Site	Side Two		2						
F	Waste Quantity:	Facility Type	Total Facility Waste	Amount						
	Place an X in the appropriate boxes to indicate the facility types found at the site.	1. □ Piles	cubic feet							
	In the "total facility waste amount" space	 2. □ Land Treatment 3. □ Landfill 	gallons							
	give the estimated combined quantity (volume) of hazardous wastes at the site	4. Tanks	Total Facility Area							
	using cubic feet or gallons.	 5. ☐ Impoundment 6. ☐ Underground Injection 	square feet							
	In the "total facility area" space, give the estimated area size which the facilities	7. Drums, Above Ground	acres							
	occupy using square feet or acres.	 Brums, Below Ground Other (Specify) 								
	Known, Suspected or Likely Releases									
G	Place an X in the appropriate boxes to indicate		☐ Known ☐ Suspecte	ed 🗆 Likely 🗆 None						
		or likely releases of wastes to the environment.								
	Note: Items Hand I are optional. Completin hazardous waste sites. Although completing	ng these items will assist EPA and State ng the items is not required, you are end	and local governments in ouraged to do so.	locating and assessing						
Н	Sketch Map of Site Location: (Option	al)								
	Sketch a map showing streets, highways, routes or other prominent landmarks near									
	the site. Place an X on the map to indicate the site location. Draw an arrow showing									
	the direction north. You may substitute a publishing map showing the site location.									
	publicating map cheesing the case received									
	Description of Site: (Optional)	······································								
ı	Describe the history and present									
	conditions of the site. Give directions to the site and describe any nearby wells,									
	springs, lakes, or housing. Include such information as how waste was disposed									
	and where the waste came from Provide any other information or comments which									
	may help describe the site conditions.									
	3									
J	Signature and Title:									
	The person or authorized representative (such as plant managers, superintendents,	Name Lee Schreckengost		☐ Owner, Present						
	trustees or attorneys) of persons required	Street 1035 S.Access Rd.	☐ Owner, Past							
	to notify must sign the form and provide a mailing address (if different than address			□ Transporter□ Operator, Present						
	in item A). For other persons providing notification, the signature is optional.	City Conyers, State(Ga. zip Code 30207	☐ Operator, Present						
	Check the boxes which best describe the relationship to the site of the person		7.60	Other NA						
	required to notify. If you are not required to notify check "Other".	Signature Colored	Date 6 - 8 1							